

MOOD WOOD



AVAILABLE AT:

realstone **SYSTEMS™**
Inspiring. Timeless. Enduring.

866-698-5066 | www.Realstone.com



MOOD WOOD / HONEY p.18



MOOD WOOD / GREY p.32



MOOD WOOD / NUT p.40



MOOD WOOD / BROWN p.44

MOOD WOOD



colors

MOOD WOOD / **WHITE**




MOOD WOOD / **HONEY**




MOOD WOOD / **GREY**



MOOD WOOD / **NUT**



MOOD WOOD / **BROWN**



MOOD WOOD / COLOR BODY PORCELAIN MADE IN THE USA.

MOOD WOOD

Transform your residential and commercial project with the elegant look of natural wood with the MOOD WOOD collection by Milestone.

Combining a sleek, matte finish with an array of five warm color compositions, MOOD WOOD provides the durability of porcelain tile with the authentic look of wood popular in modern interior design.






MOOD WOOD / CASSETTONE DÉCOR #1 p.14



MOOD WOOD / CASSETTONE DÉCOR #2 p.20



CASSETTONE DÉCOR



MOOD WOOD / CASSETTONE DÉCOR #3 p.26

colors

MOOD WOOD / CASSETTONE DÉCOR #1



MOOD WOOD / CASSETTONE DÉCOR #2



MOOD WOOD / CASSETTONE DÉCOR #3



MOOD WOOD / CASSETTONE DÉCOR #4




CASSETTONE DÉCOR

The merging of modern, sophisticated wooden tile with the classic, natural look of wood paneling, Cassettone Décor is a new approach to a contemporary taste. Featuring geometric sequences with multiple shades that pay homage to the essence of furnishing items, Cassettone Décor perfectly provides a peaceful, welcoming feel.

Available in one size (24"x24") and 4 color combinations, the Cassettone Décor can be used by itself or combine with anyone of the 5 colors of Mood Wood Collection.







MOOD WOOD / **WHITE**

10 | MOOD WOOD



6"x36" . 8"x48" / WHITE













MOOD WOOD



**OUTDOOR
#2**







MOOD WOOD / **HONEY**

MOOD WOOD









24

12"x48" / HONEY OUTDOOR #2

**OUTDOOR
#2**



6"x36" / BROWN . 12"x48" / HONEY OUTDOOR #2



MOOD WOOD




**OUTDOOR
#2**











MOOD WOOD / GREY

MOOD WOOD







8"x48" / GREY




MOOD WOOD



**OUTDOOR
#2**









MOOD WOOD / **NUT**

MOOD WOOD









MOOD WOOD / **BROWN**

MOOD WOOD





SIZES & SHADE VARIATION

48

sizes:

6"x36"
Rectified / Matte



1100803 White
1100804 Honey
1100805 Nut
1100806 Brown
1100807 Grey

8"x48"
Rectified / Matte



1100788 White
1100789 Honey
1100790 Nut
1100791 Brown
1100792 Grey

24"x24"
CASSETTONE DÉCOR
Rectified / Matte



1100839 White / Grey
Cassettone Décor 1



1100840 Honey / Nut
Cassettone Décor 2



1100841 Honey / Nut / Brown
Cassettone Décor 3



1100845 Nut / Brown
Cassettone Décor 4

OUTDOOR #2

12"x48"
Rectified / Matte



1100818 White
1100819 Honey
1100822 Grey

Colors shown may vary from
actual product.
Final selection should be made
from actual product samples.


mosaics & trim pieces:

12"x15"
Herringbone Mosaic Matte



1100828 White
1100829 Honey
1100830 Nut
1100831 Brown
1100832 Grey


49



V1

UNIFORM APPEARANCE

Differences among pieces from the same production run are minimal.



V2

SLIGHT VARIATION

Clearly distinguishable differences in texture and/or pattern with similar colors.



V3

MODERATE VARIATION

While the colors present on a single piece of tile will be indicative of the colors to be expected on the other tiles, the amount of colors on each piece will vary significantly.



V4








SUBSTANTIAL VARIATION

Random color differences from tile to tile, so that one tile may have totally different colors from that on other tiles. Thus, the final installation will be unique.



15"x12" Herringbone mosaic / **HONEY** . 6"x36" / **NUT**

technical specifications

		REFERENCE VALUE	DECLARED VALUE	TEST METHOD
	SURFACE ABRASION		IV	ASTM C1027
	WATER ABSORPTION	≤0.5%	MEETS REQUIREMENT	ASTM C373
	CHEMICAL RESISTANCE	AS REPORTED	NOT AFFECTED	ASTM 650
	DYNAMIC COEFFICIENT OF FRICTION	≥0.42 WET	MEETS REQUIREMENT	ANSI A137.1
	STAIN RESISTANCE	AS REPORTED	NOT AFFECTED	ASTM C1378
	BREAKING STRENGTH	AS REPORTED	≥400	ASTM C648
	RESISTANCE TO FREEZE	AS REPORTED	RESISTANT	ASTM C1026



RESISTANT FOR THE HOUSE The product is water-resistant: it stops liquids, body oils, acidic and staining substances from penetrating the tiles. It resists scratches, scuffs and gauges better than any other floor covering. It does not absorb fumes, odors or smoke. It doesn't discolor or fade when exposed to sunlight, or other natural elements. It is completely fire proof. It resists burns and doesn't feed a fire. Its high resistance to abrasive dirt and grime makes it suitable even for heavy-traffic areas of the house such as hallways, entrances, foyers and walkways.

FROST RESISTANT Exceeding the ADA standard requirements, the Milestone product can also be used for outside applications. It stands up to abrupt temperature changes and freezing-thaw cycles. When properly installed according to ANSI A137.1. It's strong enough to be used in exterior applications even in frigid climates. Proper consideration must be given to the anti-slip requirements of the area to be tiled.

ANTI-SLIP The testing conducted on our finished product will guarantee that all of our tiles will have an anti-slip surface so they may be used with total confidence in kitchen and bath applications. The Milestone product is perfect for both home and commercial interiors, such as restaurants, offices, retail stores, etc. Its anti-slip properties provide a safe walking surface in both wet and dry conditions, according to the Americans with Disabilities Act.

HYGIENE/SANITATION & EASY CLEANING The Milestone product doesn't absorb odors or bacteria of any kind. It's easy to clean with a damp sponge, mop, or cloth. For a more intense cleaning, simply use a mild solution of water and a common household detergent. Regular cleaning will stop the growth of germs and bacteria in damp areas such as the bathroom.

- DUE TO THE INHERENT NATURE OF FIRED PORCELAIN TILE, IT IS IMPORTANT TO NOTE THAT THE COEFFICIENT OF FRICTION MAY VARY WITHIN AND BETWEEN PRODUCT RUNS.

packaging

SIZES		THICKNESS (MM)	PIECES PER BOX	UOM PER BOX	WEIGHT PER BOX	BOXES PER PALLET	UOM PER PALLET	WEIGHT PER PALLET*
FIELD TILES								
6"x36" RECTIFIED MATTE	NOMINAL	10 mm	8	12 SF	52.8	48	576 SF	2,534
8"x48" RECTIFIED MATTE	NOMINAL	10 mm	6	16 SF	75.2	24	384 SF	1,805
24"x24" RECTIFIED MATTE	NOMINAL	10 mm	3	12 SF	52.8	36	432 SF	1,901
12"x48" RECTIFIED MATTE	NOMINAL	20 mm	4	16 SF	147.2	16	256 SF	2,355
MOSAICS AND COORDINATING TRIMS								
15"x12" HERRINGBONE MOSAIC MATTE	NOMINAL	10 mm	10	10 PCS	35	36	360 PCS	1,260

SIZES		THICKNESS (MM)	PIECES PER BOX	UOM PER BOX	WEIGHT PER BOX	BOXES PER PALLET	UOM PER PALLET	WEIGHT PER PALLET*
FIELD TILES								
12"x48" RECTIFIED MATTE	NOMINAL	20 mm	4	16 SF	147	16	256 SF	2,355

* WEIGHT PER PALLET DOES NOT INCLUDE PALLET WEIGHT ITSELF.

ALL OTHER SIZES WILL BE PACKAGED AS ORDERED.

PLEASE CONTACT MILESTONE CUSTOMER SERVICE AT 1-877-356-7461 FOR PACKAGING INFORMATION.

MINIMUM GROUT SIZE RECOMMENDED = 5 MM (OR APPROX. 3/16") IF STAGGERED TILE PLACEMENT, WE RECOMMEND USING A 30% OFFSET. IF SPECIFIED BRICK PATTERN WITH 1/2 PATTERN MANDATORY, A BIGGER GROUT IS RECOMMENDED TO HIDE IMPERFECTIONS OF INSTALLATION (MINIMUM 1/4").



BROWN - NUT

RECYCLED CONTENT

Routine care instructions:

1. Wash with water to remove superficial dirt.
2. Application of Fila Cleaner® Fila (commercial product) diluted to an average of 1:200 to the surface.
3. Let the solution sit 5-7 minutes.
4. Remove the cleaner with a vigorous mechanical cleaning action using common hand cleaning equipment, or a suitable floor-cleaning appliance.
5. Dry the floor completely.

Note: For desired results, it is particularly important to combine the effect of the detergent with a vigorous mechanical cleaning action.

The products mentioned in these instructions do not officiate any official agreements with any floor cleaning product producers.

CLEANING & MAINTENANCE



CERTIFICATIONS & ACCREDITATIONS

PROGRESS THAT TOUCHES AND INVESTS IN THE ENTIRE SOCIETY

As a active member of the U.S Green Building Council, Milestone spreads awareness to the entire American communities and encourages towards the use of building solutions inspired by environmentally friendly practices. Using Milestone products for project implementation, will positively contribute in obtaining scores and points required for earning the LEED certification (Leadership in Energy and Environmental Design).

A COMMITMENT TO THE DEVELOPMENT OF PRODUCTS FOR A CONSCIOUS BUILDING TRADE

Milestone offers products containing recycled material. The adoption of eco-compatible production systems is merit of Italian designs produced in the U.S.

TECHNICAL DEVELOPMENT THAT CONSIDERS THE NATURAL ENVIRONMENT

Milestone commits to the eco-compatible project and translates the same into an avant-guard production process, minimizing the negative impact on the environment.

WHY PORCELAIN?

There are many reasons to choose impervious porcelain tile over other floor coverings. It offers the largest array of design options and holds its value the longest. In a comparison between the many different flooring options, porcelain tile offers one of the most durable and least expensive options over the lifespan of the building.

Benefits of Porcelain Tile

- Impervious to water
- Easy to maintain
- Variety of design options
- Environmentally friendly
- Resistant to germs and bacteria
- Fade resistant
- Fire resistant
- Durable - best long-term value vs. other floor coverings

SUGGESTED INSTALLATIONS

PEI Class

IV

Moderate to heavy foot traffic

Recommended for all residential applications as well as medium commercial and light institutional applications.

