



A tribute to the clean, contemporary look of American industrial design, +ONE by Milestone captures the look and feel of poured concrete.


With six stunning color options, and two finishes +ONE is a modern take on the gritty appeal of concrete perfect for both residential and high-traffic commercial projects.

Six color options: chalk, greige, mud, ash, plumb and coal. Available in 24"x48", 24"x24", 8"x48" and 12"x24" floor & wall tile,12"x12" cube and sphere deco looks and coordinating mosaics and trim options.







+ONE CANVAS




A blending of shades that mirrors the look of stained concrete, +ONE CANVAS by Milestone is an extension of +ONE's tribute to the clean, contemporary look of American industrial design. Two versatile, matte & polished finishes pair perfectly with clean, contemporary looks found in modern urban settings.

Two color options: white and moka. Available in 12"x24" and 8"x48" floor tile options.







+ONE / CHALK

























+ONE / GREIGE































+ONE / MUD



12"x24" / GREIGE matte . 12"x12" sphere deco / MUD GREIGE . 12"x24" / CANVAS WHITE matte







+ONE / ASH







24"x24" . 3"x24" bullnose / **ASH** polished


















+ONE / PLUMB

40 **+ONE**
























+ONE / COAL























+ONE CANVAS / WHITE



+ONE CANVAS / MOKA

SIZES & SHADE VARIATION

sizes:

58

24"x24"

Rectified / Matte



1101112 Chalk 1101113 Greige 1101114 Mud 1101115 Ash 1101116 Plumb 1101117 Coal

12"x24" Rectified / Matte

1101130 Chalk 1101132 Mud

1101131 Greige 1101133 Ash 1101134 Plumb 1101135 Coal

24"x24" Rectified / Polished



1101208 Chalk 1101209 Greige 1101210 Mud 1101211 Ash 1101212 Plumb 1101213 Coal

12"x24" Rectified / Polished

1101226 Chalk

1101227 Greige 1101228 Mud 1101229 Ash 1101230 Plumb 1101231 Coal

24"x48" Rectified / Matte

1101088 Chalk 1101089 Greige 1101090 Mud 1101091 Ash 1101092 Plumb 1101093 Coal

8"x48" Rectified / Matte

1101094 Chalk 1101095 Greige 1101096 Mud 1101097 Ash 1101098 Plumb 1101099 Coal

Colors shown may vary from actual product.
Final selection should be made from actual product samples.

deco:

12"x24" CANVAS Rectified / Matte

1101254 White 1101255 Moka

12"x24" CANVAS Rectified / Polished

1101266 White 1101267 Moka

8"x48" **CANVAS** Rectified / Matte

1101248 White 1101249 Moka 8"x48" CANVAS Rectified / Polished

1101260 White

1101261 Moka

24"x48"

Rectified / Polished



1101184 Chalk 1101185 Greige 1101186 Mud 1101187 Ash 1101188 Plumb 1101189 Coal

8"x48"

Rectified / Polished

1101190 Chalk 1101191 Greige 1101192 Mud 1101193 Ash 1101194 Plumb

1101195 Coal

12"x12" Cube Deco

1101160 Chalk - Coal



1101165 Coal - Chalk



1101162 Mud - Greige



1101161 Greige - Mud



1101163 Ash - Plumb



Plumb - Ash

mosaics & trim pieces:

12"x12" Mosaic / Matte



1101148 Chalk 1101149 Greige 1101150 Mud 1101151 Ash 1101152 Plumb

1101153 Coal

Mosaic / Polished

1101238 Chalk 1101239 Greige 1101240 Mud 1101241 Ash 1101242 Plumb 1101243 Coal

6"x12" Cove Base

*special order only



1101136 Chalk 1101137 Greige 1101138 Mud 1101139 Ash 1101140 Plumb

1101141 Coal

3"x24" Bullnose / Matte

1101142 Chalk

1101143 Greige

1101144 Mud

1101145 Ash

1101146 Plumb

1101147 Coal

3"x24" Bullnose / Polished

1101232 Chalk

1101233 Greige

1101234 Mud

1101235 Ash

1101236 Plumb 1101237 Coal

12"x12" Sphere Deco



1101166 Chalk - Coal



1101171 Coal - Chalk



1101168 Mud - Greige



1101167 Greige - Mud




1101169 Ash - Plumb



1101170 Plumb - Ash



Differences among pieces from the same production run are minimal.



Clearly distinguishable differences in texture and/ or pattern with similar colors.



While the colors present on a single piece of tile will be indicative of the colors to be expected on the other tiles, the amount of colors on each piece will vary significantly.

Canvas

One

SUBSTANTIAL VARIATION

Random color differences from tile to tile, so that one tile may have totally different colors from that on other tiles. Thus, the final installation will be unique.

SIZES & SHADE VARIATION

sizes:

OUTDOOR #2

60

24"x24"
Rectified / Matte



1101414 Chalk 1101415 Greige 1101416 Ash

12"x48" Rectified / Matte

1101411 Chalk 1101412 Greige 1101413 Ash

Colors shown may vary from actual product. Final selection should be made from actual product samples

packaging

SIZES	METRIC (CM)	THICKNESS (MM)	PIECES PER BOX	UOM PER BOX	WEIGHT PER BOX	BOXES PER PALLET	UOM PER PALLET	WEIGHT PER PALLET*
FIELD TILES								
12"x48" RECTIFIED MATTE	30x120	20 mm	4	16 SF	147	16	256 SF	2,352
24"x24" RECTIFIED MATTE	60x60	20 mm	2	8 SF	76	36	288 SF	2,736

* WEIGHT PER PALLET DOES NOT INCLUDE PALLET WEIGHT ITSELF.
ALL OTHER SIZES WILL BE PACKAGED AS ORDERED.
PLEASE CONTACT MILESTONE CUSTOMER SERVICE AT 1-877-356-7461 FOR PACKAGING INFORMATION.

MINIMUM GROUT SIZE RECOMMENDED = 5 MM (OR APPROX. 3/16") IF STAGGERED TILE PLACEMENT, WE

USING A 30% OFFSET. IF SPECIFIED BRICK PATTERN WITH 1/2 PATTERN MANDATORY, A BIGGER GROUT IS RECOMMENDED TO HIDE IMPERFECTIONS OF INSTALLATION (MINIMUM 1/4").



Differences among pieces from the same production

run are minimal.



Clearly distinguishable differences in texture and/ or pattern with similar



MODERATE VARIATION

While the colors present on a single piece of tile will be indicative of the colors to be expected on the other tiles, the amount of colors on each piece will vary significantly.



SUBSTANTIAL VARIATION

Random color differences from tile to tile, so that one tile may have totally different colors from that on other tiles. Thus, the final installation will be unique.





technical specifications

		REFERENCE VALUE	DECLARED VALUE	TEST METHOD		
III	SURFACE ABRASION		IV	ASTM C1027		
	WATER ABSORPTION	≤0.5%	MEETS REQUIREMENT	ASTM C373		
	CHEMICAL RESISTANCE	AS REPORTED	NOT AFFECTED	ASTM 650		
*	DYNAMIC COEFFICIENT OF FRICTION	≥0.42 WET	MEETS REQUIREMENT	ANSI A137.1		
*	STAIN RESISTANCE	AS REPORTED	NOT AFFECTED	ASTM C1378		
۵	BREAKING STRENGTH	AS REPORTED	≥400	ASTM C648		
**	RESISTANCE TO FREEZE	AS REPORTED	RESISTANT	ASTM C1026		



RESISTANT FOR THE HOUSE The product is water-resistant: it stops liquids, body oils, acidic and staining substances from penetrating the tiles. It resists scratches, scuffs and gauges better than any other floor covering. It does not absorb furnes, odors or smoke. It doesnt discolor or fade when exposed to sunlight, or other natural elements. It is completely fire proof. It resists burns and doesn's feed a fire. Its high resistance to abrasive dirt and grime makes it suitable even for heavy-traffic areas of the house such as hallways, entrances, foyers and walkways.

FROST RESISTANT Exceeding the ADA standard requirements, the Milestone

product can also be used for outside applications. It stands up to abrupt temperature changes and freezing-thaw cycles. When properly installed according to ANSI A137.1. It's strong enough to be used in exterior applications even in frigid climates. Proper consideration must be given to the anti-slip requirements of the area to be tiled. ANTI-SLIP The testing conducted on our finished product will guarantee that all of our tiles will have an anti-slip surface so they may be used with total confidence in kitchen and bath applications. The Milestone product is perfect for both home and commercial interiors, such as restaurants, offices, retail stores, etc. Its anti-slip properties provide a safe walkking surface in both wet and dry conditions, according to the Americans with

HYGIENE/SANATATION & EASY CLEANING The Milestone product doesn't absorb odors or bacteria of any kind. It's easy to clean with a dampsponge, mop, or cloth. For a more intense cleaning, simply use a mild solution of water and a common household detergent. Regular cleaning will stop the growth of germs and bacteria in damp areas such as the bathroom.

• DUE TO THE INHERENT NATURE OF FIRED PORCELAIN TILE, IT IS IMPORTANT TO NOTE THAT THE COEFFICENT OF FRICTION MAY VARY WITHIN AND BETWEEN PRODUCT RUNS.

packaging

SIZES		THICKNESS (MM)	PIECES PER BOX	UOM PER BOX	WEIGHT PER BOX	BOXES PER PALLET	UOM PER PALLET	WEIGHT PER PALLET*
FIELD TILES								
12"x24" RECTIFIED MATTE / POLISHED	NOMINAL	10 mm	6	12 SF	52.8	48	576 SF	2,535
8"x48" RECTIFIED MATTE / POLISHED	NOMINAL	10 mm	6	16 SF	75.2	24	384 SF	1,805
24"x24" RECTIFIED MATTE / POLISHED	NOMINAL	10 mm	3	12 SF	52.8	36	432 SF	1,901
24"x48" RECTIFIED MATTE / POLISHED	NOMINAL	10 mm	2	16 SF	76.8	32	512 SF	2,457.6
DECO								
12"x24" CANVAS RECTIFIED MATTE / POLISHED	NOMINAL	10 mm	6	12 SF	52.8	48	576 SF	2,535
8"x48" CANVAS RECTIFIED MATTE / POLISHED	NOMINAL	10 mm	6	16 SF	75.2	24	384 SF	1,805
12"x12" CUBE DECO	NOMINAL	10 mm	10	10 PCS	41	45	450 PCS	1,845
12"x12" SPHERE DECO	NOMINAL	10 mm	10	10 PCS	41	45	450 PCS	1,845
MOSAICS AND COORDINATING TRIMS								
2"x2" MOSAIC (12"x12"- 36 DOT) MATTE / POLISHED	NOMINAL	10 mm	10	10 PCS	35	45	450 PCS	1,575
3"x24" BULLNOSE MATTE/POLISHED	NOMINAL	10 mm	12	12 PCS	25.2	48	576 PCS	1,201
6"x12" COVE BASE MATTE	NOMINAL	7mm	10	10 PCS	17.5	64	640 PCS	1,120

MINIMUM GROUT SIZE RECOMMENDED = 5 MM (OR APPROX. 3/16") IF STAGGERED TILE PLACEMENT, WE RECOMMEND USING A 30% OFFSET. IF SPECIFIED BRICK PATTERN WITH 1/2 PATTERN MANDATORY, A BIGGER GROUT IS RECOMMENDED TO HIDE IMPERFECTIONS OF INSTALLATION (MINIMUM 1/4").

^{*} WEIGHT PER PALLET DOES NOT INCLUDE PALLET WEIGHT ITSELF.
ALL OTHER SIZES WILL BE PACKAGED AS ORDERED.
PLEASE CONTACT MILESTONE CUSTOMER SERVICE AT 1-877-356-7461 FOR PACKAGING INFORMATION.

Certified Environmental Product Declaration www.nd.org

CLEANING & MAINTENANCE

















Routine care instructions:

- Wash with water to remove superficial dirt.
 Application of Fila Cleaner® Fila (commercial product) diluted to an average of 1:200 to the surface.
 Let the solution sit 5-7 minutes.
 - 4. Remove the cleaner with a vigorous mechanical cleaning action using common hand cleaning equipment, or a suitable floor-cleaning appliance.

5. Dry the floor completely.

Note: For desired results, it is particularly important to combine the effect of the detergent with a vigorous mechanical cleaning action.

The products mentioned in these instructions do not officiate any official agreements with any floor cleaning product producers.

PROGRESS THAT TOUCHES AND INVESTS IN THE ENTIRE SOCIETY

As a active member of the U.S Green Building Council, Milestone spreads awareness to the entire American communities and encourages towards the use of building solutions inspired by environmentally friendly practices. Using Milestone products for project implementation, will positively contribute in obtaining scores and points required for earning the LEED certification

(Leadership in Energy and Environmental Design).

A COMMITMENT TO THE DEVELOPMENT OF PRODUCTS FOR A CONSCIOUS BUILDING TRADE

Milestone offers products containing recycled material. The adoption of eco-compatible production systems is merit of Italian designs produced in the U.S.

TECHNICAL DEVELOPMENT THAT CONSIDERS THE NATURAL ENVIRONMENT

Milestone commits to the eco-compatible project and translates the same into an avant-guard production process, minimizing the negative impact on the environment.

WHY PORCELAIN?

There are many reasons to choose impervious porcelain tile over other floor coverings. It offers the largest array of design options and holds its value the longest. In a comparison between the many different flooring options, porcelain tile offers one of the most durable and least expensive options over the lifespan of the building.

Benefits of Porcelain Tile

- Impervious to water
- Easy to maintain
- Variety of design options
- Environmentally friendly
- · Resistant to germs and bacteria
- Fade resistant
- Fire resistant
- Durable best long-term value vs. other floor coverings

SUGGESTED INSTALLATIONS



Moderate to heavy foot traffic

Recommended for all residential applications as well as medium commercial and light institutional applications.

