

2023 NEW PRODUCTS



lungarno
CERAMICS



ARTISAN

ARTISAN Stone-looks and decorative patterns collide to bring geometric flair to your space. ARTISAN is a pressed glass hexagon mosaic, blended in four neutral color palettes and designs.

THE DETAILS:

- 1.5" Pressed glass hexagon offered in a matte finish
- Durable allowing for more application opportunities for both walls and floors

STYLE IT:

- Pool linings or water feature accent walls
- Kitchen backsplashes that will stand the test of time
- Shower pans for a decorative touch



ARTISAN

Pressed Glass Mosaic



COLOR AVAILABILITY



Travertine
ARTHEX01



Grigio
ARTHEX02



Onyx
ARTHEX03



Carrara
ARTHEX04

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	N/A	11.25" x 11.25"	1/4"	14	12.18

TECHNICAL SPECIFICATIONS		1.5" HEXAGON
	Material Type	Pressed Glass
	Finish	Matte
	Edge	Pressed
	Color Variation	V3
	Printing	Digital
	Installation	Wall / Floor
	Usage	Residential / Commercial*
	Grout Joint Recomm.	1/16"
	Thickness	1/4"
	Shower Pan	Yes
	Pool Lining*	Yes
	Fireplace Surround*	Yes
	Frost Resistant	Yes

* Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS		1.5" HEXAGON
	Water Absorption (C373)	< 0.5%
	Breaking Strength (C648)	≥ 250 lbs
	Surface Abrasion (MOHS)	6
	Chem. Resistance (C650)	Resistant
	D.C.O.F. (A137.1)	N/A
	Scratch Hardness (P.E.I)	N/A

lungarno
CERAMICS



BOTANICALS



BOTANICALS Artist-inspired florals make these 3" hexagon pressed glass mosaics a unique find, bringing an element of sophistication, charm and wallpaper-like style to walls and floors.

THE DETAILS:

- 3" pressed glass hexagon
- Offered two floral designs and 6 colors

STYLE IT:

- Pool linings and water features
- Kitchen backsplashes
- Accent walls and niches
- Shower walls and floors

BOTANICALS

Pressed Glass Mosaic



COLOR AVAILABILITY



Ainsley
BOTAIN3HEX



Bryn
BOTBRY3HEX




Freya
BOTFRE3HEX



Elowen
BOTELO3HEX



Calla
BOTCAL3HEX



Daphne
BOTDAP3HEX

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	N/A	11.73" x 10.20"	1/4"	10	8.31

BOTANICALS

Pressed Glass Mosaic



TECHNICAL SPECIFICATIONS		3" HEXAGON
	Material Type	Pressed Glass
	Finish	Matte
	Edge	Pressed
	Color Variation	V3
	Printing	Digital
	Installation	Wall / Floors
	Usage	Residential / Commercial
	Grout Joint Recomm.	1/16"
	Thickness	1/4"
	Shower Pan	Yes
	Pool Lining*	Yes
	Fireplace Surround*	Yes
	Frost Resistant	Yes

* Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS		3" HEXAGON
	Water Absorption (C373)	< 0.5%
	Breaking Strength (C648)	N/A
	Surface Abrasion (MOHS)	4
	Chem. Resistance (C650)	Resistant
	D.C.O.F. (A137.1)	N/A
	Scratch Hardness (P.E.I)	N/A

lungarno
CERAMICS



CASABLANCA

CASABLANCA blurs the lines between classic and contemporary, with vibrant colorways, go-to shapes and fun patterns. Bring dimension to walls with the structured wall tile, and round out the design with the petite hexagon floor tile.

THE DETAILS:

- 2" x 6" double-fired, dimensional wall tiles in three pre-mixed profiles
- 5.5" x 6" hexagonal floor tiles in solid colorways and complimenting decors

STYLE IT:

- Bar backsplashes with exposed shelving
- Mixed hexagon solid and decors in a powder or smaller bathroom floor
- Lobby or activity room accent walls in boutique hotels



Photo features Saffron 2" x 6"



Photo features Emerald Deco



Photo features Cloud Solid

CASABLANCA

Extruded Wall and Porcelain Floor Tile

lungarno
CERAMICS

COLOR AVAILABILITY - WALL

					
					
					
Saffron CSWLSAF26	Cloud CSWLCLO26	Pearl Gray CSWLGRY26	Emerald CSWLEME26	Champagne CSWLCHA26	Ocean Blue CSWLBLU26

COLOR AVAILABILITY - FLOOR

					
Ocean Blue Solid CSFLBLU56	Cloud Solid CSFLCLO56	Pearl Gray Solid CSFLGRY56	Emerald Deco CSFLEME56DECO	Champagne Deco CSFLCHA56DECO	Ocean Blue Deco CSFLBLU56DECO

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	2" x 6"*	1.97" x 5.91"	8mm - 12mm	66	5.35
	5.5" x 6"	5.51" x 6.34"	3/8"	30	5.37

*All three profiles mixed randomly in each carton.

TECHNICAL SPECIFICATIONS	WALL	FLOOR
 Material Type	Ceramic (Extruded)	Porcelain
 Finish	Glossy	Matte
 Edge	Pressed	Pressed
 Color Variation	V4	V3
 Printing	N/A	Digital
 Installation	Wall	Wall / Floor
 Usage	Residential / Commercial	Residential / Commercial
 Grout Joint Recomm.	1/16" or No Grout Joint	1/8"
 Thickness	8mm - 12mm	3/8"
 Shower Pan	No	Yes
 Pool Lining*	No	Yes
 Fireplace Surround*	Yes	Yes
 Frost Resistant	No	Yes

*Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS	WALL	FLOOR
 Water Absorption (C373)	> 10%	≤ 0.5 %
 Breaking Strength (C648)	N/A	≥ 250 LBS
 Surface Abrasion (MOHS)	N/A	5.0
 Chem. Resistance (C650)	N/A	Resistant
 D.C.O.F. (A137.1)	N/A	> 0.42
 Scratch Hardness (P.E.I)	N/A	4

Special Considerations for Wall:

- Variations in caliber, flatness, straightness, texture, design and shade are present in the artisanal manufacture process of this product.
- Special and vibrant glazes can produce an intentional crackle upon production, in transport or after installation.
- Dry-stacking is recommended for wall tile, although not required. When installing in a wet area, a waterproof member is required prior to installation, and grouting and sealing will be necessary.



Photo features Ocean Blue 2" x 6", Ocean Blue Deco and Cloud Solid

lungarno
CERAMICS



COASTLINE


COASTLINE gives an effortless upgrade to your walls. This series takes the classic pressed glass mosaic and boosts it by adding a dimensional glaze-effect color overlay. The lantern shape allows for a more traditional design, while the overall style gives a fresh and updated feel.

THE DETAILS:

- 2" pressed glass lantern in a matte/glossy combination
- Offered in three colors inspired by the California coast

STYLE IT:

- Pool linings and water features
- Kitchen backsplashes for an updated feel
- Accent walls for a pop of color



COASTLINE

Pressed Glass Mosaic



COLOR AVAILABILITY

		
Big Sur COST01221P	La Jolla COST02221P	Monterey COST03221P


SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	N/A	9.8" x 12.11"	1/4"	14	11.62

TECHNICAL SPECIFICATIONS		2" LANTERN
	Material Type	Pressed Glass
	Finish	Matte/Glossy
	Edge	Pressed
	Color Variation	V3
	Printing	Digital
	Installation	Wall
	Usage	Residential / Commercial
	Grout Joint Recomm.	1/16"
	Thickness	1/4"
	Shower Pan	No
	Pool Lining*	Yes
	Fireplace Surround*	Yes
	Frost Resistant	Yes

* Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS		2" LANTERN
	Water Absorption (C373)	< 0.5%
	Breaking Strength (C648)	N/A
	Surface Abrasion (MOHS)	4
	Chem. Resistance (C650)	Resistant
	D.C.O.F. (A137.1)	N/A
	Scratch Hardness (P.E.I)	N/A



DISK

DISK Warm and modern go hand-in-hand with this stamped concrete inspired porcelain floor tile. DISK offers the complete package, beginning with mosaics and ending with larger formats. Think contemporary lofts, open floor plans, and urban shopping districts as just some of the spaces this series can be installed.

THE DETAILS:

- 2" x 2" porcelain mosaic
- 12" x 24", 24" x 24" and 36" x 36" porcelain
- 14" x 16" porcelain hexagon

STYLE IT:

- Transitional or modern lofty spaces
- Large, open living spaces and bathrooms
- Sun room floors and entryways




Photo features Brown 2" x 2"



Photo features Grey 14" x 16" Hexagon

DISK

Porcelain Floor Tile

lungarno
CERAMICS

COLOR AVAILABILITY - FLOOR



Beige
12x24 - PO3060DIS320R
24x24 - PO6060DIS320R
36x36 - CEDIS090006



Brown
12x24 - PO3060DIS370R
24x24 - PO6060DIS370R
36x36 - CEDIS090007



Grey
12x24 - PO3060DIS310R
24x24 - PO6060DIS310R
36x36 - CEDIS090008



Anthracite
12x24 - PO3060DIS390R
24x24 - PO6060DIS390R
36x36 - CEDIS090005



Beige Hexagon
PO2040DIS32ESA



Brown Hexagon
PO2040DIS37ESA



Grey Hexagon
PO2040DIS31ESA



Anthracite Hexagon
PO2040DIS39ESA

COLOR AVAILABILITY - MOSAIC



Beige
PO0505DIS320M



Brown
PO0505DIS370M



Grey
PO0505DIS310M



Anthracite
PO0505DIS390M

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	N/A	11.63" x 11.63"	3/8"	6	5.81
	12" x 24"	11.62" x 23.62"	3/8"	6	11.62
	14" x 16" Hexagon	13.77" x 15.75"	3/8"	9	10.07
	24" x 24"	23.62" x 23.62"	3/8"	3	11.62
	36" x 36"	35.43" x 35.43"	3/8"	2	17.44

DISK

Porcelain Tile



TECHNICAL SPECIFICATIONS	MOSAIC	HEXAGON	FLOOR
 Material Type	Porcelain	Porcelain	Porcelain
 Finish	Matte	Matte	Matte
 Edge	Rectified	Pressed	Rectified
 Color Variation	V2	V2	V2
 Printing	Digital	Digital	Digital
 Installation	Wall / Floor	Wall / Floor	Wall / Floor
 Usage	Residential / Commercial	Residential / Commercial	Residential / Commercial
 Grout Joint Recomm.	1/8"	1/8"	1/8"
 Thickness	3/8"	3/8"	3/8"
 Shower Pan	Yes	Yes	Yes
 Pool Lining*	Yes	Yes	Yes
 Fireplace Surround*	Yes	Yes	Yes
 Frost Resistant	Yes	Yes	Yes

*Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS	MOSAIC	HEXAGON	FLOOR
 Water Absorption (C373)	< 0.5 %	< 0.5 %	< 0.5 %
 Breaking Strength (C648)	≥ 250 LBS	≥ 250 LBS	≥ 250 LBS
 Surface Abrasion (MOHS)	7.0	7.0	7.0
 Chem. Resistance (C650)	Resistant	Resistant	Resistant
 D.C.O.F. (A137.1)	≥ 0.42	≥ 0.42	≥ 0.42
 Scratch Hardness (P.E.I)	4	4	4

Variations in shade, texture and edge profile are inherent in all glass, ceramic, porcelain and stone tile. Always inspect product prior to installation.



Photo features Beige 24" x 24"


FINISH LINE




FINISH LINE PORCELAIN

Offered in 12" x 24" and 24" x 24" Field Tile in both Polished and Unpolished.

Photo Features Alpine White 12" x 24" on wall and floor
Black Pennyrounds on wall



Black Forest



Alpine White

Porcelain Applications	Residential	Light Commercial	Commercial
Walls/Backsplashes	✓	✓	✓
Floors	✓	✓	✓
Pool Lining	✓	✓	✓

*Suitable for exterior walls in freezing and non-freezing climates when proper installation methods are followed.


Test Results	ASTM#	Unpolished Result	Polished Result
Water Absorption	C373	<0.5%	<0.5%
Breaking Strength	C648	>450 lbs	>450 lbs
Scratch Hardness	MOHS	8.0	4.0
Chemical Resistance	C650	Resistant	Resistant
Dynamic Coefficient of Friction	ANSI 137.1	Wet: ≥ 0.42	N/A

Dynamic C.O.F (Wet) value as measured by the DCOF AcuTest™ helps to assess a product's suitability for a commercial installation.

FINISH LINE MOSAICS

Offered in 1" x 4" Stacked Glass and Stone Mosaic, Pennyround Mosaic and 2" Glass Stone and Metallic Hexagon Mosaic.

Penny Rounds




Glossy Black - NHBLKPRG
Matte Black - NHBLKPRM




Glossy White - NHWHTPRG
Matte White - NHWHTPRM



Matte Vanilla - NHVANPRM



Matte Silken Gray - NHGRYPRM



Matte Flint - NHFLTPRM

Glass, Stone and Metallic Hexagon



Obsidian Metallic
NHHEX4803



Pearl Metallic
NHHEX4807

Glass and Stone Pressblend



Grey - NHPRESSGRY



Black - NHPRESSBLK



White - NHPRESSWHT

Mosaic Applications

Residential

Light Commercial

Commercial

Walls/Backsplashes

✓

✓

✓

Floors

✓*

✓*

Pool Lining

✓**

✓**

✓**

*Matte Pennyrounds suitable for interior residential and light commercial floors

**Applies to Pennyrounds only.

FINISH LINE WALL TILE

Offered in 3" x 12" Undulated and 0.6" x 12" Quarter Round Pencil.




Silken Gray - NHUSGRY312




Black - NHUSBLK312



White - NHUSWHT312



White - NHUSWHTPENCIL



Flint - NHUSFLTPENCIL



Vanilla - NHUSVANPENCIL




Vanilla - NHUSVAN312



Flint - NHUSFLT312



Black - NHUSBLKPENCIL



Silken Gray - NHUSGRYPENCIL



Photo White and Black 3" x 12" on wall

Wall Tile Applications

Residential

Light Commercial

Commercial

Walls/Backsplashes

✓

✓

✓



lungarno
CERAMICS

To View the Complete Collection Visit Us At:
www.lungarnoceramics.com

PH: (877) 928-0132
FX: (866) 300-0630

lungarno
CERAMICS



LINEA

LINEA offers a variety of both classic and trendy colorways in two linear ceramic wall tile formats. The slight irregular edge detail matched with the rich and pigmented tones present endless design opportunities for most color palettes and styles.

THE DETAILS:


- 3" x 12" ceramic wall tile in matte and glossy
- 2" x 20" ceramic wall tile in glossy
- Rich, deep and pigmented colors

STYLE IT:


- Make a bold impression and use the vibrant colors on kitchen backsplashes
- Vertically install on shower walls to give the appearance of taller ceilings
- Herringbone a vanity accent wall and pair with a floating cabinet



COLOR AVAILABILITY - 3x12




Ardesia Glossy
LINARD312L




Ardesia Matte
LINARD312U




Ghiaccio Glossy
LINGHI312L




Ghiaccio Matte
LINGHI312U



Prussia Glossy
LINPRU312L




Prussia Matte
LINPRU312U



Terracotta Glossy
LINTER312L



Terracotta Matte
LINTER312U




Sabbia Glossy
LINSAB312L



Verde Menta Glossy
LINVER312L



Moka Glossy
LINMOK312L




Cenere Glossy
LINCEN312L

COLOR AVAILABILITY - 2x20



Ardesia Glossy
LINARD220L



Ghiaccio Glossy
LINGHI220L



Prussia Glossy
LINPRU220L



Terracotta Glossy
LINTER220L



Sabbia Glossy
LINSAB220L



Verde Menta Glossy
LINVER220L



Moka Glossy
LINMOK220L



Cenere Glossy
LINCEN220L

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	3" x 12"	2.95" x 11.81"	3/8"	44	10.78
	2" x 20"	1.96" x 19.68"	3/8"	20	5.38
	.5" x 12" Jolly	0.59" x 11.81"	3/8"	50	N/A

TECHNICAL SPECIFICATIONS	3" x 12"	2" x 20"
 Material Type	Ceramic	Ceramic
 Finish	Glossy / Matte	Glossy
 Edge	Pressed	Pressed
 Color Variation	V1	V1
 Printing	N/A	N/A
 Installation	Wall	Wall
 Usage	Residential / Commercial	Residential / Commercial
 Grout Joint Recomm.	1/8"	1/8"
 Thickness	3/8"	3/8"
 Shower Pan	No	No
 Pool Lining*	No	No
 Fireplace Surround*	Yes	Yes
 Frost Resistant	No	No

*Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS	3" x 12"	2" x 20"
 Water Absorption (C373)	> 7%	> 7%
 Breaking Strength (C648)	N/A	N/A
 Surface Abrasion (MOHS)	4	4
 Chem. Resistance (C650)	Resistant	Resistant
 D.C.O.F. (A137.1)	N/A	N/A
 Scratch Hardness (P.E.I)	N/A	N/A



Photo features Ghiaccio Glossy 2" x 20"



Photo features Moka Glossy 3" x 12

lungarno
CERAMICS

LONDON METRO

LONDON METRO creates a soft, effortless vibe for every design aesthetic. The satin matte finish, clean lines and perfect shades of gray elevate walls and makes spaces appear larger.

THE DETAILS:

- 3" x 12" satin matte ceramic wall tile with bullnose trim

STYLE IT:

- Open kitchen concepts in modern restaurants or coffee shops
- Modern and minimalist-styled bathroom shower surrounds
- School locker rooms and bathrooms



LONDON METRO

Ceramic Wall Tile



COLOR AVAILABILITY - WALL



Greenwich Mist
LOMEMIS312



Hampstead Dew
LOMEDEW312



Mayfair White
LOMEWHI312



Soho Grey
LOMEGRY312

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	3" x 12"	2.95" x 11.81"	3/8"	50	12.50
	3" x 12" Bullnose (12" side)	2.95" x 11.81"	3/8"	50	12.50

LONDON METRO

Ceramic Wall Tile



TECHNICAL SPECIFICATIONS		WALL
	Material Type	Ceramic
	Finish	Satin Matte
	Edge	Pressed
	Color Variation	V1
	Printing	N/A
	Installation	Wall
	Usage	Residential / Commercial
	Grout Joint Recomm.	1/8"
	Thickness	5/16"
	Shower Pan	No
	Pool Lining*	No
	Fireplace Surround*	Yes
	Frost Resistant	No

*Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS		WALL
	Water Absorption (C373)	> 7%
	Breaking Strength (C648)	N/A
	Surface Abrasion (MOHS)	4
	Chem. Resistance (C650)	Resistant
	D.C.O.F. (A137.1)	N/A
	Scratch Hardness (P.E.I)	N/A

lungarno
CERAMICS



MARRAKESH

MARRAKESH offers the beauty and historic details of true Zellige tiles while still making it a perfect fit for design today. This collection is offered in two classic wall formats, and paired perfectly with decorative floor tiles.

THE DETAILS:

- 4" x 4" or 2.5" x 8" wall tiles in soft and neutral, yet rich tones with a semi-gloss finish
- 8" x 8" floor tiles in unique patterns with slight glossy ink effect, paired effortlessly with any of the wall tiles

STYLE IT:

- Kitchen backsplashes with natural wood cabinetry and brass fixtures
- Floor-to-ceiling shower walls for a spa-inspired feel
- Bold and playful laundry or bathroom floors



Photo features Meknes Marine 2.5" x 8"



Photo features Bahia 8" x 8"



Photo features Medina Green 4" x 4"

MARRAKESH

Ceramic Wall and Porcelain Floor Tile

lungarno
CERAMICS

COLOR AVAILABILITY - WALL



Sahara White
MARSAH44




Tantan Beige
MARTAN44



Sidi Salt
MARSID44




Medina Green
MARMED44




Meknes Marine
MARMKN44



Berber Black
MARBER44



Sahara White
MARSAH258




Tantan Beige
MARTAN258




Sidi Salt
MARSID258



Medina Green
MARMED258



Meknes Marine
MARMKN258



Berber Black
MARBER258

COLOR AVAILABILITY - FLOOR



Macaal
MARMAC88



Bahia
MARBAH88



Melah
MARMEL88



Rubeli
MARRUB88

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	4" x 4"	3.94" x 3.94"	3/8	44	4.73
	2.5" x 8"	2.44" x 7.95"	3/8	38	5.17
	1" x 8" Trim (Wall)	0.98" x 7.95"	3/8	88	N/A
	8" x 8"	7.87" x 7.87"	3/8	13	5.60

MARRAKESH

Ceramic Wall and Porcelain Floor Tile



TECHNICAL SPECIFICATIONS	WALL	FLOOR
 Material Type	Ceramic (Double-Fired)	Glazed Porcelain
 Finish	Semi-Gloss	Matte
 Edge	Pressed	Pressed
 Color Variation	V3	V3
 Printing	N/A	Inkjet
 Installation	Wall	Wall / Floor
 Usage	Residential / Commercial	Residential / Commercial
 Grout Joint Recomm.	1/16" or No Grout Joint	1/8"
 Thickness	3/8"	3/8"
 Shower Pan	No	Yes
 Pool Lining*	No	Yes
 Fireplace Surround*	Yes	Yes
 Frost Resistant	No	Yes

*Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS	WALL	FLOOR
 Water Absorption (C373)	> 10%	≤ 0.5 %
 Breaking Strength (C648)	N/A	≥ 250 LBS
 Surface Abrasion (MOHS)	N/A	5.0
 Chem. Resistance (C650)	N/A	Resistant
 D.C.O.F. (A137.1)	N/A	> 0.42
 Scratch Hardness (P.E.I)	N/A	4

Special Considerations for Wall:

- Variations in caliber, flatness, straightness, texture, design and shade are present in the artisanal manufacture process of this product.
- Special and vibrant glazes can produce an intentional crackle upon production, in transport or after installation.
- Dry-stacking is recommended for wall tile, although not required. When installing in a wet area, a waterproof member is required prior to installation, and grouting and sealing will be necessary.



Photo features Melah 8" x 8"

lungarno
CERAMICS



MASSA MARBLE

MASSA MARBLE provides a marble-look tile, reinvented. The two traditionally-sized wall tiles give an organic, natural feel, while the floor formats add rich details that draw the eye closer.

THE DETAILS:

- 3" x 6" and 6" x 6" natural edge wall tiles
- 9" x 10" hexagon and 32" x 32" large format porcelain floor tiles with glossy ink effect

STYLE IT:

- Transitional or farmhouse kitchen backsplashes
- Large, open living spaces and bathrooms
- Mud room floors and entryways



Photo features Carrara 3" x 6"



Photo features Carrara 6" x 6"

MASSA MARBLE

Ceramic Wall and Porcelain Floor Tile

lungarno
CERAMICS

COLOR AVAILABILITY - WALL



Carrara 3" x 6"
MASCARWALL36



Calacatta Oro 3" x 6"
MASOROWALL36



Carrara 6" x 6"
MASCARWALL66



Calacatta Oro 6" x 6"
MASOROWALL66

COLOR AVAILABILITY - FLOOR



Carrara 9" x 10" Hexagon
MASCARHEX



Calacatta Oro 9" x 10" Hexagon
MASORHEX



Carrara 32" x 32"
MASCAR3232



Calacatta Oro 32" x 32"
MASORO3232

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	3" x 6"	2.88" x 5.88"	3/8"	88	10.30
	6" x 6"	5.88" x 5.88"	3/8"	44	10.56
	3" x 6" Bullnose (6" side)	2.88" x 5.88"	3/8"	44	N/A
	9" x 10"	9.13" x 10.50"	5/16"	16	8.06
	32" x 32"	31.50" x 31.50"	3/8"	2	13.77

MASSA MARBLE

Ceramic Wall and Porcelain Floor Tile



TECHNICAL SPECIFICATIONS	WALL	HEXAGON	32" x 32"
 Material Type	Ceramic	Porcelain	Porcelain
 Finish	Matte	Matte	Matte
 Edge	Pressed	Pressed	Pressed
 Color Variation	V3	V3	V3
 Printing	Digital	Digital	Digital
 Installation	Wall	Wall / Floor	Wall / Floor
 Usage	Residential / Commercial	Residential / Commercial	Residential / Commercial
 Grout Joint Recomm.	1/8"	3/16"	1/8"
 Thickness	3/8"	5/16"	3/8"
 Shower Pan	No	Yes	No
 Pool Lining*	No	Yes	No
 Fireplace Surround*	Yes	Yes	Yes
 Frost Resistant	No	Yes	Yes

*Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS	WALL	HEXAGON	32" x 32"
 Water Absorption (C373)	> 7%	≤ 0.5 %	≤ 0.5 %
 Breaking Strength (C648)	N/A	≥ 250 LBS	≥ 250 LBS
 Surface Abrasion (MOHS)	N/A	7.0	7.0
 Chem. Resistance (C650)	Resistant	Resistant	Resistant
 D.C.O.F. (A137.1)	N/A	≥ 0.42	≥ 0.42
 Scratch Hardness (P.E.I)	N/A	4	4

Variations in shade, texture and edge profile are inherent in all glass, ceramic, porcelain and stone tile.
Always inspect product prior to installation.



Photo features Calacatta Oro 32" x 32"

lungarno
CERAMICS

MELODY

MELODY An artistically designed ceramic wall tile collection that adds beauty and depth to walls of any style. Available in four spa-inspired colors, each of which offered in field tiles, two coordinating decors and trim finishing edge.

THE DETAILS:

- 5" x 5" watercolor-edged glazed field tiles and coordinating decors in two design options
- 0.5" x 10" finishing trim

STYLE IT:

- Kitchen backsplashes with counter-to-wall exposure
- Full shower surrounds and vanity accent features
- Laundry room backsplashes









MELODY

Ceramic Wall Tile



COLOR AVAILABILITY

					
Easton White Solid MELEAS55	Easton White Audrey Decor MELEASAUD55	Easton White Chloe Decor MELEASCHL55	Eme Ash Solid MELEME55	Eme Ash Audrey Decor MELEMEAUD55	Eme Ash Chloe Decor MELEMECHL55
					
Lyric Blue Solid MELLYR55	Lyric Blue Audrey Decor MELLYRAUD55	Lyric Blue Chloe Decor MELLYRCHL55	Mint Grey Solid MELMIN55	Mint Grey Audrey Decor MELMINAUD55	Mint Grey Chloe Decor MELMINCHL55

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	5" x 5"	5.12" x 5.12"	3/8"	30	5.40
	0.5" x 10" Trim	N/A	N/A	10	N/A

MELODY

Ceramic Wall Tile



TECHNICAL SPECIFICATIONS	WALL
 Material Type	Ceramic
 Finish	Glossy
 Edge	Pressed
 Color Variation	V3
 Printing	N / A
 Installation	Wall
 Usage	Residential / Commercial
 Grout Joint Recomm.	1/8"
 Thickness	3/8"
 Shower Pan	No
 Pool Lining*	No
 Fireplace Surround*	Yes
 Frost Resistant	No

*Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS	WALL
 Water Absorption (C373)	> 7%
 Breaking Strength (C648)	N/A
 Surface Abrasion (MOHS)	N/A
 Chem. Resistance (C650)	Resistant
 D.C.O.F. (A137.1)	N/A
 Scratch Hardness (P.E.I)	N/A

Variations in shade, texture and edge profile are inherent in all glass, ceramic, porcelain and stone tile.
Always inspect product prior to installation.



Photo features Mint Grey Chloe Decor

lungarno
CERAMICS



MULTIFORMA



MULTIFORMA plays with color and size to give commercial spaces the sophisticated upgrade they need. Offered in six not-so-average colors and a plaster-like texture, this collection can be used alone or with our coordinating wall tile collection, LINEA.

THE DETAILS:

- 36" x 36" large format porcelain

STYLE IT:





- Hotel entryways
- Open concept office spaces
- Airport common areas

MULTIFORMA

Porcelain Floor Tile



COLOR AVAILABILITY

					
Ghiaccio CEMUL090001	Prussia CEMUL090005	Sabbia CEMUL090003	Terracotta CEMUL090006	Cenere CEMUL090002	Ardesia CEMUL090004

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	36" x 36"	35.43" x 35.43"	3/8"	2	17.44

MULTIFORMA

Porcelain Tile



TECHNICAL SPECIFICATIONS

FLOOR

	Material Type	Porcelain
	Finish	Matte
	Edge	Rectified
	Color Variation	V2
	Printing	Digital
	Installation	Wall / Floor
	Usage	Residential / Commercial
	Grout Joint Recomm.	1/8"
	Thickness	3/8"
	Shower Pan	No
	Pool Lining*	N/A
	Fireplace Surround*	Yes
	Frost Resistant	Yes

*Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS

FLOOR

	Water Absorption (C373)	< 0.5 %
	Breaking Strength (C648)	≥ 250 LBS
	Surface Abrasion (MOHS)	7.0
	Chem. Resistance (C650)	Resistant
	D.C.O.F. (A137.1)	≥ 0.42
	Scratch Hardness (P.E.I)	4

Variations in shade, texture and edge profile are inherent in all glass, ceramic, porcelain and stone tile. Always inspect product prior to installation.



Photo features Terracotta 36" x 36"

lungarno
CERAMICS



NATURAL ELEMENTS

NATURAL ELEMENTS When an accent wall is calling, Natural Elements shows up. Whether it's a clean, geometric vibe, or an elegant, waterjet style, there is something for everyone with this collection. Offered in eight colors and patterns, the mixture of stone and glass compliments without being too loud.

THE DETAILS:

- Waterjet glass and stone mosaics in unique shapes and patterns
- Neutral colors combine for bold patterns

STYLE IT:

- Powder room or kitchen backsplash for a unique focal point
- Bathroom vanity for a pop of color
- Bar backsplash for a trendy vibe




Photo features Skyline Chevron

NATURAL ELEMENTS

Waterjet Glass and Stone Mosaic

lungarno
CERAMICS

COLOR AVAILABILITY



Lace Leaf
NELEAF7904



Dove Leaf
NELEAF7905



Snowfall Teardrop
NETEAR7804



Mist Teardrop
NETEAR7805



Mink Hexagon Leaves
NEHEXLEAF02



Blue Heron Hex Leaves
NEHEXLEAF8004



Skyline
NECHEV305



Moon
NLMONWHEEL

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	N/A	12.00" x 11.75"	5/16"	10	9.80
	N/A	11.13" x 11.88"	5/16"	10	9.20
	N/A	11.13" x 11.88"	5/16"	11	10.78
	N/A	12.00" x 10.88"	5/16"	10	9.00
	N/A	11.13" x 9.75"	5/16"	11	8.14

NATURAL ELEMENTS

Waterjet Glass and Stone Mosaic



TECHNICAL SPECIFICATIONS

MOSAICS

	Material Type	Glass and Stone
	Finish	Glossy / Matte
	Edge	Pressed
	Color Variation	V3
	Printing	N / A
	Installation	Wall
	Usage	Residential / Commercial
	Grout Joint Recomm.	1/16"
	Thickness	5/16"
	Shower Pan	No
	Pool Lining*	No
	Fireplace Surround*	Yes
	Frost Resistant	No

* Proper installation methods must be followed per project. Please reference TCNA for more information.

**Raindrop Mosaic suitable for residential floor installations only.

TEST RESULTS

MOSAICS

	Water Absorption (C373)	N / A
	Breaking Strength (C648)	N / A
	Surface Abrasion (MOHS)	N / A
	Chem. Resistance (C650)	Resistant
	D.C.O.F. (A137.1)	N/A
	Scratch Hardness (P.E.I)	N/A

Variations in shade, texture and edge profile are inherent in all glass, ceramic, porcelain and stone tile.
Always inspect product prior to installation.

lungarno
CERAMICS

NORTHERN LIGHTS

NORTHERN LIGHTS plays tribute to classic mosaic size formats and takes them to the next level. Offered in two patterns and five colorways, this pressed glass series provides the durability of porcelain tile combined with rich color tones only glass tiles can achieve.

THE DETAILS:

- Raindrop mosaic with glossy and matte finishes
- Hex Wheel in color blocked hexagon-border combos

STYLE IT:

- Pool linings or water feature accent walls
- Kids bathrooms that will stand the test of time and style




Photo features Cosmos Raindrop

NORTHERN LIGHTS

Pressed Glass Mosaic

lungarno
CERAMICS


COLOR AVAILABILITY - RAINDROP*



Asteroid
NLASTRAIN



Cosmos
NLCOSRAIN



Galaxy
NLGLXRAIN



Moon
NLMONRAIN




Neptune
NLNEPRRAIN

COLOR AVAILABILITY - HEX WHEEL**



Asteroid
NLASTWHEEL




Cosmos
NLCOSWHEEL



Galaxy
NLGLXWHEEL



Moon
NLMONWHEEL



Neptune
NLNEPWHEEL

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	N/A	11.61" x 11.10"	1/4"	11	9.85
	N/A	10.24" x 8.90"	1/4"	11	6.95

*Raindrop Mosaic offered in 70% matte, 30% glossy combination

**Hex Wheel Mosaic offered in matte only

NORTHERN LIGHTS

Pressed Glass Mosaic



TECHNICAL SPECIFICATIONS	RAINDROP	HEX WHEEL
 Material Type	Pressed Glass	Pressed Glass
 Finish	Glossy / Matte	Matte
 Edge	Pressed	Pressed
 Color Variation	V1	V1
 Printing	Digital	Digital
 Installation	Wall / Floor	Wall / Floor
 Usage	Residential / Commercial**	Residential / Commercial
 Grout Joint Recomm.	1/16"	1/16"
 Thickness	1/4"	1/4"
 Shower Pan	Yes	Yes
 Pool Lining*	No	No
 Fireplace Surround*	Yes	Yes
 Frost Resistant	Yes	Yes

* Proper installation methods must be followed per project. Please reference TCNA for more information.

**Raindrop Mosaic suitable for residential floor installations only.

TEST RESULTS	RAINDROP	HEX WHEEL
 Water Absorption (C373)	< 0.5%	< 0.5%
 Breaking Strength (C648)	N/A	N/A
 Surface Abrasion (MOHS)	5	5
 Chem. Resistance (C650)	Resistant	Resistant
 D.C.O.F. (A137.1)	N/A	≥ 0.42
 Scratch Hardness (P.E.I)	N/A	N/A

Variations in shade, texture and edge profile are inherent in all glass, ceramic, porcelain and stone tile.
Always inspect product prior to installation.

lungarno
CERAMICS

ORGANIC STRANDS

Photo Features Grey Lantern on wall and Grey 24" x 24" on floor

Photo Features Beige 12" x 24" and 24" x 24"



PORCELAIN SIZES AND COLORS

COLORS



SIZES	Sq. Ft / Carton	Pieces / Carton
12" x 24" Rectified	13.56	7
24" x 24" Rectified	15.50	4

PORCELAIN APPLICATIONS	Residential	Light Commercial	Commercial	Exterior
Walls/Backsplashes	✓	✓*	✓*	✓*
Floors	✓	✓	✓	
Shower Pan				
Pool Lining				
Countertops	✓	✓	✓	
*Suitable for exterior wall applications in freezing and non-freezing climates, when proper installation methods are followed.				

PORCELAIN INSTALLATION	Thickness	Grout Joint Recommendation	Shade Variation
	3/8"	1/4"	V3

*Large format and rectangular wall tile require specific attention during installation. In view of ANSI and manufacturing tolerances, it is understood that no more than 33% offset should be used for installation.

TEST RESULTS	ASTM#	Unpolished Result	NOTES
Water Absorption	C373	≤ 0.5%	Variations in shade, texture and edge profile are inherent in all glass, ceramic, porcelain and stone tiles. Always inspect product prior to installation.
Breaking Strength	C648	≥ 400lbs	
Scratch Hardness	MOHS	7	
Chemical Resistance	C650	Resistant	
DCOF	A.137.1	≥ 0.42	

Photo: Features Light Grey Lantern



GLASS SIZES AND COLORS

COLORS



Light Grey
ORG03221P



Ivory
ORG01221P



Beige
ORG02221P



Grey
ORG04221P

SIZES

Sq. Ft / Carton

Pieces / Carton

2" x 2" Lantern Mosaic (12.13" x 9.75" Sheet)

11.62

14

GLASS APPLICATIONS

	Residential	Light Commercial	Commercial	Exterior
Walls/Backsplashes	✓	✓*	✓*	✓*
Floors	✓			
Shower Pan	✓	✓	✓	
Pool Lining	✓	✓	✓	✓
Countertops				

*Suitable for exterior wall applications in freezing and non-freezing climates, when proper installation methods are followed.

GLASS INSTALLATION

Thickness	Grout Joint Recommendation	Shade Variation
1/4"	1/8"	V3

TEST RESULTS

	ASTM#	Results	NOTES
Water Absorption	C373	< 0.5%	Variations in shade, texture and edge profile are inherent in all glass, ceramic, porcelain and stone tiles. Always inspect product prior to installation.
Breaking Strength	C648	< 100lbs	
Scratch Hardness	MOHS	6	
Chemical Resistance	C650	Resistant	
DCOF	A137.1	≥ 0.42	

lungarno
CERAMICS

lungarno
CERAMICS

RAINSTONE PORCELAIN

Photo Features Rainstone Dark Grey 24" x 24"

Photo Features Rainstone Beige White 24" x 24" on floor, 2" x 2" on shower wall and shower basin



Photo Features Rainstone Natural 24" x 24"



PORCELAIN SIZES AND COLORS



Natural



Light Grey



Dark Grey



Beige White

SIZES

	Sq. Ft / Carton	Pieces / Carton
2" x 2" Mosaic (11-5/8" x 11-5/8" Sheet) (Mesh-Mounted on a 12" x 12" Sheet)	5.81	6
12" x 24" Rectified	11.62	6
24" x 24" Rectified	11.62	3

PORCELAIN APPLICATIONS

	Residential	Light Commercial	Commercial	Exterior
Walls/Backsplashes	✓	✓*	✓*	✓*
Floors	✓	✓	✓	
Shower Pan	✓	✓**	✓**	
Pool Lining				
Countertops	✓	✓	✓	

*Suitable for exterior wall applications in freezing and non-freezing climates, when proper installation methods are followed.

**Applies to 2" x 2" Mosaic Only

PORCELAIN INSTALLATION

	Thickness	Grout Joint Recommendation	Shade Variation
	3/8"	1/4"	V3

*Large format and rectangular wall tile require specific attention during installation. In view of ANSI and manufacturing tolerances, it is understood that no more than 33% offset should be used for installation.

TEST RESULTS

	ASTM#	Results	NOTES
Water Absorption	C373	≤ 0.5%	Variations in shade, texture and edge profile are inherent in all glass, ceramic, porcelain and stone tiles. Always inspect product prior to installation.
Breaking Strength	C648	≥ 400 lbs	
Scratch Hardness	MOHS	7	
Chemical Resistance	C650	Resistant	
DCOF	A.137.1	≥ 0.42	

lungarno
CERAMICS

lungarno
CERAMICS

RETROSPECTIVES

RETROSPECTIVE

Artistic and alluring on top; bold and playful on the bottom. RETROSPECTIVES draws you in with its eccentric decors, while the wall tiles complement or stand-alone. These classic ceramic wall tiles and decorative floor tiles create a statement piece in a room big or small.

THE DETAILS:

- 3" x 6" glazed wall tiles in 3 unique colors that compliment any aesthetic
- 8" x 8" floor tiles in three fun patterns

STYLE IT:

- Kitchen backsplashes with exposed shelving
- Combine wall and floor in a laundry or smaller bathroom
- Activity room or closet for a pop of color

Photo features Royal Garden 3" x 6"



Photo features Covent Gardens 8" x 8"




Photo features Enchanted Mist 3" x 6"

RETROSPECTIVES

Wall and Porcelain Floor Tile

lungarno
CERAMICS

COLOR AVAILABILITY - WALL



Enchanted Mist
RSENCANTED36L



Notting Hill
RSNOTHILL36L



Royal Garden
RSROYALGARD36L

COLOR AVAILABILITY - FLOOR



Covent Gardens
RSCOVENTGARD88



Notting Hill
RSNOTHILL88



Royal Blues
RSROYALBLUE88

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	3" x 6"*	2.95" x 5.95"	5/16	44	5.37
	1" x 6" Jolly	0.95" x 5.91"	N/A	132	N/A
	8" x 8"	7.88" x 7.88"	3/8"	13	5.60

RETROSPECTIVES

Wall and Porcelain Floor Tile



TECHNICAL SPECIFICATIONS	WALL	FLOOR
 Material Type	Ceramic	Porcelain
 Finish	Glossy	Matte
 Edge	Pressed	Pressed
 Color Variation	V3	V3
 Printing	Digital	Digital
 Installation	Wall	Wall / Floor
 Usage	Residential / Commercial	Residential / Commercial
 Grout Joint Recomm.	1/8"	1/8"
 Thickness	3/8"	3/8"
 Shower Pan	No	No
 Pool Lining*	No	No
 Fireplace Surround*	Yes	Yes
 Frost Resistant	No	Yes

*Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS	WALL	FLOOR
 Water Absorption (C373)	> 7%	< 0.5 %
 Breaking Strength (C648)	N/A	≥ 250 LBS
 Surface Abrasion (MOHS)	N/A	7.0
 Chem. Resistance (C650)	Resistant	Resistant
 D.C.O.F. (A137.1)	N/A	≥ 0.42
 Scratch Hardness (P.E.I)	N/A	4

Variations in shade, texture and edge profile are inherent in all glass, ceramic, porcelain and stone tile.
Always inspect product prior to installation.



Photo features Royal Blues 8" x 8"

lungarno
CERAMICS



ROYAL

A modern interior space, likely a cafe or restaurant, featuring large, light gray floor tiles. The room has large windows on the left side, offering a view of a cityscape. The ceiling is exposed with visible pipes and modern pendant lights. In the foreground, there are black Eames-style chairs with wooden legs. To the right, there is a long counter with a row of black bar stools. The overall aesthetic is clean, industrial, and minimalist.

ROYAL ROYAL is a limestone-meets-concrete visual that adds texture and depth to most residential and commercial spaces. The gently worn colors and neutral shades of gray create a warm and inviting feel, while the large format size simplifies design and limits grout joints.

THE DETAILS:

- 36" x 36" large format porcelain floor tiles

STYLE IT:

- Industrial or modern lofts
- Upscale restaurants and kitchens
- Business centers and modern work spaces

ROYAL

Porcelain Floor Tile



COLOR AVAILABILITY



Light
CEROY090002



Mild
CEROY090005

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	36" x 36"	35.43" x 35.43"	3/8"	2	17.44

TECHNICAL SPECIFICATIONS

FLOOR

	Material Type	Porcelain
	Finish	Matte
	Edge	Rectified
	Color Variation	V3
	Printing	Digital
	Installation	Wall / Floor
	Usage	Residential / Commercial
	Grout Joint Recomm.	1/8"
	Thickness	3/8"
	Shower Pan	No
	Pool Lining*	N/A
	Fireplace Surround*	Yes
	Frost Resistant	Yes

*Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS

FLOOR

	Water Absorption (C373)	< 0.5 %
	Breaking Strength (C648)	≥ 250 LBS
	Surface Abrasion (MOHS)	7.0
	Chem. Resistance (C650)	Resistant
	D.C.O.F. (A137.1)	≥ 0.42
	Scratch Hardness (P.E.I)	4

Variations in shade, texture and edge profile are inherent in all glass, ceramic, porcelain and stone tile. Always inspect product prior to installation.



Photo features Light 36" x 36"

lungarno
CERAMICS



SEASONS

SEASONS Classic sizes meet mid-century modern style. SEASONS adds a pop of color to walls while remaining neutral. Compliment any of the four tones with a terrazzo-look floor tile. Combine the wall and floor for a completely custom feel that unique to your own style.

THE DETAILS:

- 4" x 4" glazed wall tiles in 3 unique colors with matching decors
- 8" x 8" floor tiles in a beautiful terrazzo-like pattern

STYLE IT:

- Kitchen backsplashes with exposed shelving
- Combine wall and floor in a laundry or smaller bathroom
- Activity room or closet for a pop of color




SEASONS

Ceramic Wall and Porcelain Floor Tile



COLOR AVAILABILITY - WALL



Spring
SEASPRW441P




Spring Equinox
SEASPREQNW441P



Spring Solstice
SEASPRSOLW441P




Summer
SEASUMW441P



Summer Equinox
SEASUMEQNW441P



Summer Solstice
SEASUMSOLW441P



Autumn
SEAAATMW441P



Autumn Equinox
SEAAATMEQNW441P



Autumn Solstice
SEAAATMSOLW441P



Winter
SEAWTRW441P



Winter Equinox
SEAWTREQNW441P



Winter Solstice
SEAWTRSOLW441P

COLOR AVAILABILITY - FLOOR



Eclipse
SEAECLF881P

SIZE AVAILABILITY

	NOMINAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	4" x 4"	3/8"	108	11.66
	0.5" x 12" Jolly	N/A	50	N/A
	8" x 8"	5/16"	25	10.78

SEASONS

Ceramic Wall and Porcelain Floor Tile



TECHNICAL SPECIFICATIONS	WALL	FLOOR
 Material Type	Ceramic	Porcelain
 Finish	Matte	Matte
 Edge	Pressed	Pressed
 Color Variation	V2	V3
 Printing	Digital	Digital
 Installation	Wall	Wall / Floor
 Usage	Residential / Commercial	Residential / Commercial
 Grout Joint Recomm.	1/8"	1/8"
 Thickness	3/8"	5/16"
 Shower Pan	No	Yes
 Pool Lining*	No	No
 Fireplace Surround*	Yes	Yes
 Frost Resistant	No	Yes

*Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS	WALL	FLOOR
 Water Absorption (C373)	> 7%	< 0.5 %
 Breaking Strength (C648)	N/A	≥ 250 LBS
 Surface Abrasion (MOHS)	N/A	6.0
 Chem. Resistance (C650)	Resistant	Resistant
 D.C.O.F. (A137.1)	N/A	≥ 0.42
 Scratch Hardness (P.E.I)	N/A	3

Variations in shade, texture and edge profile are inherent in all glass, ceramic, porcelain and stone tile.
Always inspect product prior to installation.



Photo features Winter, Winter Equinox and Winter Solstice 4" x 4"

lungarno
CERAMICS

SIMPLE STONE

SIMPLE STONE brings the best-of marble visuals and blends with classic and fun shapes. The combination matte and glossy surface gives dimension without being too flashy and the pressed glass body makes these safe enough to use on shower pans or bathroom floors.

THE DETAILS:

- Available in Pebbles, Triangle, Chevron and Pennyround mesh-mounted mosaics
- Offered in combination glossy and matte finish for all except Pebble mosaic.

STYLE IT:

- Give unique detail to pool linings or outdoor kitchen backsplashes
- Round out bathroom designs by using on shower floors and in accent niches
- Add an elegant touch to fireplace surrounds




Photo features Oro Pennyround



Photo features Bianco Chevron

SIMPLE STONE

Pressed Glass Mosaic

lungarno
CERAMICS

COLORS



Bianco Pennyround
SIMBIANCOPNYRD



Bianco Chevron
SIMBIANCOCHEVRO



Bianco Triangle
SIMBIANCOTRI




Bianco Pebbles
SIMBIANCOPEB



Nero Pennyround
SIMNEROPNYRD



Nero Chevron
SIMNEROCHEVRON



Nero Triangle
SIMNEROTRI



Nero Pebbles
SIMNEROPEB



Oro Pennyround
SIMOROPNYRD



Oro Chevron
SIMOROCHEVRON



Oro Triangle
SIMOROTRI



Oro Pebbles
SIMOROPEB

SIZE AVAILABILITY

		NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	Triangle	N/A	9.92" x 12.91"	1/4"	11	9.78
	Chevron	N/A	12.24" x 11.02"	1/4"	11	10.30
	Pennyround	N/A	12.32" x 11.42"	1/4"	11	10.76
	Pebble	N/A	12.13" x 12.13"	1/4"	10	10.21

SIMPLE STONE

Pressed Glass Mosaic



TECHNICAL SPECIFICATIONS		MOSAIC
	Material Type	Pressed Glass
	Finish	Glossy / Matte
	Edge	Pressed
	Color Variation	V3
	Printing	Digital
	Installation	Wall / Floor
	Usage	Residential / Commercial
	Grout Joint Recomm.	1/16"
	Thickness	1/4"
	Shower Pan**	Yes
	Pool Lining*	Yes
	Fireplace Surround*	Yes
	Frost Resistant	Yes

*Proper installation methods must be followed per project. Please reference TCNA for more information.

**Pebbles only

TEST RESULTS		MOSAIC
	Water Absorption (C373)	< 0.5%
	Breaking Strength (C648)	N/A
	Surface Abrasion (MOHS)	4
	Chem. Resistance (C650)	Resistant
	D.C.O.F. (A137.1)	N/A
	Scratch Hardness (P.E.I)	N/A

Variations in shade, texture and edge profile are inherent in all glass, ceramic, porcelain and stone tile.
Always inspect product prior to installation.



Photo features Nero Triangle



STONEWAY



STONEWAY is a unique and versatile porcelain tile, with a variety of design possibilities. Each of the three colors is offered in three graphics to give a wall or floor custom gradient look. Whether it's a more traditional or bold ombre that your space calls for, this collection is certain to turn heads.

THE DETAILS:

- 12" x 24" in three gradient color schemes
- 2" x 2" porcelain mosaic

STYLE IT:

- Transitional or modern lofty spaces
- Large, open living spaces and bathrooms
- Sun room floors and entryways
- Kitchen backsplashes

STONEWAY

Porcelain Floor Tile

lungarno
CERAMICS

COLOR AVAILABILITY - FLOOR



Beige
PO3060STO320R



Grey
PO3060STO350R



Anthracite
PO3060STO390R



Line Beige
PO3060STO320L



Line Grey
PO3060STO350L



Line Anthracite
PO3060STO390L



White Beige
PO3060STO312R



White Grey
PO3060STO315R



White Anthracite
PO3060STO319R

COLOR AVAILABILITY - MOSAIC



Beige
PO505STO320M



Grey
PO505STO350M



Anthracite
PO505STO390M

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	N/A	11.63" x 11.63"	3/8"	6	5.81
	12" x 24"	11.62" x 23.62"	3/8"	6	11.62

TECHNICAL SPECIFICATIONS	MOSAIC	FLOOR
 Material Type	Porcelain	Porcelain
 Finish	Matte	Matte
 Edge	Rectified	Rectified
 Color Variation	V2	V2
 Printing	Digital	Digital
 Installation	Wall / Floor	Wall / Floor
 Usage	Residential / Commercial	Residential / Commercial
 Grout Joint Recomm.	1/8"	1/8"
 Thickness	3/8"	3/8"
 Shower Pan	Yes	Yes
 Pool Lining*	Yes	Yes
 Fireplace Surround*	Yes	Yes
 Frost Resistant	Yes	Yes

*Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS	MOSAIC	FLOOR
 Water Absorption (C373)	< 0.5 %	< 0.5 %
 Breaking Strength (C648)	≥ 250 LBS	≥ 250 LBS
 Surface Abrasion (MOHS)	7.0	7.0
 Chem. Resistance (C650)	Resistant	Resistant
 D.C.O.F. (A137.1)	≥ 0.42	≥ 0.42
 Scratch Hardness (P.E.I.)	4	4

Variations in shade, texture and edge profile are inherent in all glass, ceramic, porcelain and stone tile. Always inspect product prior to installation.



Photo features White Anthracite, Line Anthracite and Anthracite



URBAN
TEXTURES
CONTEMPO

URBAN TEXTURES CONTEMPO


Glass blends with this classic subway format to create a modernized version of a style still adored today. Choose from nine colors of various shades and two sizes and see how spaces appear larger with the reflectivity of glass tile.

THE DETAILS:

- Offered in a thinner profile glass, in nine neutral and versatile colors
- Available in 3x6 loose tile and 2x4 mesh-mounted

STYLE IT:

- Kitchen backsplashes and bar accent walls
- Apartment and hospitality common areas
- Restaurant bathroom walls




URBAN TEXTURES CONTEMPO

Glass

lungarno
CERAMICS

COLOR AVAILABILITY - 2x4




Bright White
UTC0124



Ivory
UTC0224




Beige
UTC0324




Ash
UTC0424



Gray
UTC0524



Graphite
UTC0624



Bottle
UTC0724



Sky Blue
UTC0824



Smoke
UTC0924

COLOR AVAILABILITY - 3x6



Bright White
UTC0136



Ivory
UTC0236



Beige
UTC0336



Ash
UTC0436



Gray
UTC0536



Graphite
UTC0636



Bottle
UTC0736



Sky Blue
UTC0836



Smoke
UTC0936

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	N/A	2" x 4"	4mm	10	10.00
	3" x 6"	3" x 6"	4mm	80	10.00

URBAN TEXTURES CONTEMPO

Glass



TECHNICAL SPECIFICATIONS		2x4 / 3x6
	Material Type	Glass
	Finish	Glossy
	Edge	Pressed
	Color Variation	V1
	Printing	Digital
	Installation	Wall
	Usage	Residential / Commercial
	Grout Joint Recomm.	1/16"
	Thickness	4mm
	Shower Pan	No
	Pool Lining*	Yes
	Fireplace Surround*	Yes
	Frost Resistant	No

* Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS		2x4 / 3x6
	Water Absorption (C373)	< 0.5%
	Breaking Strength (C648)	N/A
	Surface Abrasion (MOHS)	4
	Chem. Resistance (C650)	Resistant
	D.C.O.F. (A137.1)	N/A
	Scratch Hardness (P.E.I)	N/A

A photograph of a potted plant against a tiled wall. The plant has long, thin, dark green leaves that fan out from a central point. It is in a metallic, cylindrical pot. The background is a wall of large, rectangular, light-colored tiles. The lighting is soft, creating subtle shadows on the wall.

lungarno
CERAMICS

ZELLIGE
CLASSIQUE

ZELLIGE CLASSIQUE Originating in Morocco, these unique, handmade tiles are known for their organic beauty, vibrant colors and rich history dating back centuries. Authentic Zellige tiles are made from high-quality clay, then hand shaped, cut, glazed and fired at extremely high temperatures resulting in this incredibly durable and aesthetically pleasing tile.

THE DETAILS:

- 4" x 4" and 2" x 6" natural clay wall tiles in six earth inspired tones
- Colorful mosaic assortment in a variety of classic and modern shapes

STYLE IT:

- Pair 4x4 and 2x6 together for a custom look
- Kitchen backsplashes
- Shower walls and bathroom vanities
- Accent walls for a stunning and unique look
- Fireplace surrounds for a beautiful and eye-catching touch
- Stair risers to add color or texture



Photo features Atlas White Starburst

ZELLIGE CLASSIQUE

Authentic Zellige Tile

lungarno
CERAMICS

COLOR AVAILABILITY - FIELD TILE



Al Hamra 4x4
ZELALHAM44L
Al Hamra 2x6
ZELALHAM26L



Sahara Rose 4x4
ZELSAHROS44L
Sahara Rose 2x6
ZELSAHROS26L



Mint Tea 4x4
ZELMINTEA44L
Mint Tea 2x6
ZELMINTEA26L



Atlas White 4x4
ZELATLWHI44L
Atlas White 2x6
ZELATLWHI26L



Gris Perle 4x4
ZELGRIPER44L
Gris Perle 2x6
ZELGRIPER26L



Blue City 4x4
ZELBLUCIT44L
Blue City 2x6
ZELBLUCIT26L

COLOR AVAILABILITY - MOSAICS



Al Hamra
Papillon
ZELPAP01MOS



Atlas White/Sahara Rose
Tapis
ZELTAP01MOS



Atlas White/Blanc/Gris
Perle Chouari
ZELCHO01MOS



Atlas White
Starburst
ZELSTA01MOS



Atlas White
Art
ZELART01MOS



Atlas White
Triangle
ZELTRI01MOS

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	2" x 6"	N/A	3/8"	100	8.07
	4" x 4"	N/A	3/8"	100	10.76
	N/A	10.50" x 10.00"	3/8"	16	11.67
	N/A	12.00" x 12.00"	3/8"	11	11.00
	N/A	13.25" x 14.25"	3/8"	10	13.11
	N/A	10.00" x 10.00"	3/8"	18	12.50
	N/A	11.25" x 11.25"	3/8"	11	9.67
	N/A	9.00" x 11.75"	3/8"	14	10.28

ZELLIGE CLASSIQUE

Authentic Zellige Tile



TECHNICAL SPECIFICATIONS	4" x 4"	2" x 6"	MOSAICS
 Material Type	Zellige Terracotta	Zellige Terracotta	Zellige Terracotta
 Finish	Glossy	Glossy	Glossy
 Edge	Hand Cut	Hand Cut	Hand Cut
 Color Variation	V3	V3	V3
 Printing	N/A	N/A	N/A
 Installation	Wall	Wall	Wall
 Usage	Residential / Commercial	Residential / Commercial	Residential / Commercial
 Grout Joint Recomm.	N/A	N/A	N/A
 Thickness	3/8"	1.5" CM (15mm)	3/8"
 Shower Pan	No	No	No
 Pool Lining*	No	No	No
 Fireplace Surround*	Yes	Yes	Yes
 Frost Resistant	No	No	No

*Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS	4" x 4"	2" x 6"	MOSAICS
 Water Absorption (C373)	N/A	N/A	N/A
 Breaking Strength (C648)	N/A	N/A	N/A
 Surface Abrasion (MOHS)	N/A	N/A	N/A
 Chem. Resistance (C650)	Resistant	Resistant	Resistant
 D.C.O.F. (A137.1)	N/A	N/A	N/A
 Scratch Hardness (P.E.I)	N/A	N/A	N/A

Special Considerations for Zellige Tile:

- Variation in caliber, flatness, straightness, texture, design and shade are present and inherent to the manufacture process of real zellige products.
- Chips, pinholes and other imperfections are common in zellige tiles and are not defective. Material with these characteristics are not subject for exchange or return.
- It is highly recommended to mix pieces from multiple cartons prior to installation in order to achieve a natural shade variation throughout the installation.
- Zellige tiles look beautiful installed with or without grout, and with a variety of grout joint thicknesses. When installing in a wet area, grouting will be necessary.
- Industry standard recommends overage by 15% in order to account for shortage due to tile cuts, breakage and future repairs.

ANCHOR

Glazed Porcelain Floor Tile

commodiTile
value+quality+design



Photo Features Iron

Colors



CTANIRO24241P IRON 24" x 24"



CTANIRO2HEX1P
IRON
2" HEXAGON
MOSAIC



CTANIRO12241P IRON 12" x 24"



CTANPEW24241P PEWTER 24" x 24"



CTANPEW2HEX1P
PEWTER
2" HEXAGON
MOSAIC



CTANPEW12241P PEWTER 12" x 24"



CTANPAT24241P PATINA 24" x 24"



CTANPAT2HEX1P
PATINA
2" HEXAGON
MOSAIC



CTANPAT12241P PATINA 12" x 24"

Sizes

		Sq. Ft. per carton		Faces	Pieces per carton
		Actual	Nominal		
	24" x 24"	15.5	16	8	4
	12" x 24"	9.7	10	12	5
	12.68" x 10.43"	9.2	10	N/A	10

Application

	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓*	
Walls/Backsplashes	✓	✓	✓	
Counters				
Pool Linings	✓	✓	✓	

*24" x 24" and 12" x 24" only

Installation

Size	Thickness	Grout Joint Recommendation	Shade Variation
24" x 24", 12" x 24"	3/8"	1/8"	V2
Mosaics	1/4"	1/8"	V2

Test Results

	ASTM#	Result
Breaking Strength	C648	≥ 250 lbs.
Stain Resistance	C1378	Pass
DCOF	ANSI 137.1	≥ 0.42
PEI	C1027	PEI 4

Origin: India



CARROLLTON

CARROLLTON offers everyday neutrals, go-to sizes and fun shapes, making this collection a must in any home or commercial space. Use them together to create a uniform design from top to bottom, or individually to keep things simple and clean.

THE DETAILS:

- Ceramic wall tiles in 3" x 6", 2" x 8", 4" x 12" and 4" x 16" size formats
- Porcelain floor tiles in 24" x 24" or 9" x 10" hexagons
- Porcelain mosaics in 1" or 2" hexagons and 2" x 2" squares

STYLE IT:

- Combine a single color wall, floor and mosaic to create a modern and crisp bathroom vibe
- Use the large format floor in commercial areas to create a neutral base to any room
- Style the 9" x 10" hexagon in powder baths, laundry rooms and entryways



Photo features Gloss Charcoal 4" x 12"

COLOR AVAILABILITY - WALL



Gloss White
CTWL01

Matte White
CTWL03

Gloss Biscuit
CTWL02

Gloss Gray
CTWL05

Gloss Sand
CTWL06

Gloss Khaki
CTWL07

Gloss Charcoal
CTWL08

PART NUMBERS

GROUP 1 COLORS

Color Name	Size	Sku
Gloss White	2" x 8"	CTWL0128
Gloss White	3" x 6"	CTWL0136
Gloss White	4" x 12"	CTWL01412
Gloss White	4" x 16"	CTWL01416
Matte White	3" x 6"	CTWL0336
Matte White	4" x 12"	CTWL03412
Matte White	4" x 16"	CTWL03416
Gloss Biscuit	2" x 8"	CTWL0228
Gloss Biscuit	3" x 6"	CTWL0236
Gloss Biscuit	4" x 12"	CTWL02412
Gloss Biscuit	4" x 16"	CTWL02416
Gloss Gray	2" x 8"	CTWL0528
Gloss Gray	3" x 6"	CTWL0536
Gloss Gray	4" x 12"	CTWL05412
Gloss Gray	4" x 16"	CTWL05416

GROUP 2 COLORS

Color Name	Size	Sku
Gloss Sand	4" x 12"	CTWL06412
Gloss Khaki	4" x 12"	CTWL07412
Gloss Charcoal	4" x 12"	CTWL08412

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	2" x 8"*	1.94" x 7.75"	5/16"	100	11.10
	3" x 6"	2.95" x 5.88"	5/16"	132	16.50
	4" x 12"	3.98" x 11.81"	5/16"	40	13.33
	4" x 16"	3.98" x 15.75"	5/16"	25	11.11

Bullnose available on both long and short edge for 3" x 6", 4" x 12" and 4" x 16" formats only

*2" x 8" Available in Gloss White, Gloss Biscuit and Gloss Gray only

TECHNICAL SPECIFICATIONS

WALL

	Material Type	Ceramic
	Finish	Glossy / Matte
	Edge	Pressed
	Color Variation	V1
	Printing	N/A
	Installation	Wall
	Usage	Residential / Commercial
	Grout Joint Recomm.	1/16"
	Thickness	5/16"
	Shower Pan	No
	Pool Lining*	No
	Fireplace Surround*	Yes
	Frost Resistant	No

*Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS

WALL

	Water Absorption (C373)	> 7% and < 20%
	Breaking Strength (C648)	N/A
	Surface Abrasion (MOHS)	4.0
	Chem. Resistance (C650)	Resistant
	D.C.O.F. (A137.1)	N/A
	Scratch Hardness (P.E.I)	N/A



Photo features Gloss Biscuit 3" x 6"



Photo features White 9" x 10" Hexagon

COLOR AVAILABILITY - FLOOR



White
CTFL01910HEX1P



Biscuit
CTFL02910HEX1P



Gray
CTFL05910HEX1P



Sand
CTFL06910HEX1P




Khaki
CTFL07910HEX1P




Charcoal
CTFL08910HEX1P




White
CTFL0124241P



Biscuit
CTFL0224241P




Gray
CTFL0524241P



Sand
CTFL0624241P



Khaki
CTFL0724241P



Charcoal
CTFL0824241P

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	9" x 10"	9.13" x 10.51"	5/16"	16	8.06
	24" x 24"	23.62" x 23.62"	3/8"	4	15.49

TECHNICAL SPECIFICATIONS	9" x 10" HEXAGON	24" x 24"
 Material Type	Porcelain	Porcelain
 Finish	Matte	Matte
 Edge	Pressed	Rectified
 Color Variation	V1	V1
 Printing	Digital	Digital
 Installation	Floor / Wall	Floor / Wall
 Usage	Residential / Commercial	Residential / Commercial
 Grout Joint Recomm.	3/16"	1/8"
 Thickness	5/16"	3/8"
 Shower Pan	Yes	No
 Pool Lining*	Yes	No
 Fireplace Surround*	Yes	Yes
 Frost Resistant	Resistant	Resistant

*Proper installation methods must be followed per project. Please reference TCNA for more information.


TEST RESULTS	9" x 10" HEXAGON	24" x 24"
 Water Absorption (C373)	< 0.5%	< 0.5%
 Breaking Strength (C648)	≥ 250 lbs	≥ 250 lbs
 Surface Abrasion (MOHS)	6.0	6.0
 Chem. Resistance (C650)	Resistant	Resistant
 D.C.O.F. (A137.1)	> 0.42	> 0.42
 Scratch Hardness (P.E.I)	3	3



Photo features Grey 24" x 24"

COLOR AVAILABILITY - MOSAICS


1" Hexagon Glossy




White
CTMS011HEXG



Biscuit
CTMS021HEXG




Gray
CTMS051HEXG



Sand
CTMS061HEXG



Khaki
CTMS071HEXG



Charcoal
CTMS081HEXG


2" Hexagon Matte




White
CTMS012HEXM



Biscuit
CTMS022HEXM



Gray
CTMS052HEXM



Sand
CTMS062HEXM




Khaki
CTMS072HEXM




Charcoal
CTMS082HEXM


2" x 2" Matte



White
CTMS0122M




Biscuit
CTMS0222M



Gray
CTMS0522M

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	N/A	10.04" x 11.54"	1/4"	11	8.84
	N/A	10.91" x 12.68"	1/4"	11	10.56
	N/A	11.93" x 11.93"	1/4"	11	10.87

TECHNICAL SPECIFICATIONS	1" HEXAGON	2" HEXAGON	2" x 2"
 Material Type	Porcelain	Porcelain	Porcelain
 Finish	Glossy	Matte	Matte
 Edge	Pressed	Pressed	Pressed
 Color Variation	V1	V1	V1
 Printing	N/A	N/A	N/A
 Installation	Wall	Floor / Wall	Floor / Wall
 Usage	Residential / Commercial	Residential / Commercial	Residential / Commercial
 Grout Joint Recomm.	1/16"	1/16"	1/16"
 Thickness	1/4"	1/4"	1/4"
 Shower Pan	No	Yes	Yes
 Pool Lining*	Yes	Yes	Yes
 Fireplace Surround*	Yes	Yes	Yes
 Frost Resistant	Resistant	Resistant	Resistant

*Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS	1" HEXAGON	2" HEXAGON	2" x 2"
 Water Absorption (C373)	< 0.5%	< 0.5%	< 0.5%
 Breaking Strength (C648)	N/A	N/A	N/A
 Surface Abrasion (MOHS)	6.0	6.0	6.0
 Chem. Resistance (C650)	Resistant	Resistant	Resistant
 D.C.O.F. (A137.1)	N/A	≥ 0.42	≥ 0.42
 Scratch Hardness (P.E.I)	3	3	3



Photo features Khaki 2" Hexagon

commodiTile
value+quality+design



CLASSICS II

CLASSICS II This timeless and sophisticated look of marble tile is both the elegant and durable solution that will most certainly stand the test of time. Classics II offers two subtly evolved marble looks in a variety of shapes, sizes and material applications.

THE DETAILS:

- Ceramic Wall Tiles in 3" x 12"
- Porcelain Floor Tiles in 12" x 24", 24" x 48" or 9" x 10" hexagons
- Porcelain Mosaics in herringbone or pennyround

STYLE IT:

- Combine multiple sizes together in a single room for a uniform, modern aesthetic
- Add sophisticated charm to kitchen backsplashes with the glossy herringbone mosaic while keeping floors slip-resistant with the matte pennyround mosaic
- Style the mid-sized hexagon in small spaces such as bathrooms, laundry rooms and entryways



CLASSICS II

Ceramic Wall Tile

COLOR AVAILABILITY - WALL



Calacatta Lincoln
CLA2LIN312

Macael White
CLA2MAC312

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	3" x 12"	2.95" x 11.81"	5/16"	50	12.11
	0.5" x 12"	0.51" x 11.81"	N/A	60	N/A

CLASSICS II

Ceramic Wall Tile

TECHNICAL SPECIFICATIONS		WALL
	Material Type	Ceramic
	Finish	Satin
	Edge	Pressed
	Color Variation	V3
	Printing	Digital
	Installation	Wall
	Usage	Residential / Commercial
	Grout Joint Recomm.	1/8"
	Thickness	5/16"
	Shower Pan	No
	Pool Lining*	No
	Fireplace Surround*	Yes
	Frost Resistant	No

*Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS		WALL
	Water Absorption (C373)	> 7%
	Breaking Strength (C648)	N/A
	Surface Abrasion (MOHS)	4.0
	Chem. Resistance (C650)	Resistant
	D.C.O.F. (A137.1)	N/A
	Scratch Hardness (P.E.I)	N/A




Photo features Calacatta Lincoln 12" x 24" and 24" x 48"

CLASSICS II

Porcelain Floor Tile

commodiTile
value+quality+design

COLOR AVAILABILITY - FLOOR



Calacatta Lincoln Hexagon
CLA2LIN910HEX1P



Macaoel White Hexagon
CLA2MAC910HEX1P



Calacatta Lincoln Glazed Polished
12x24 - CLA2LIN12241L
Calacatta Lincoln Matte
12x24 - CLA2LIN12241U



Macaoel White Glazed Polished
12x24 - CLA2MAC12241L
Macaoel White Matte
12x24 - CLA2MAC12241U



Calacatta Lincoln Glazed Polished
24x48 - CLA2LIN24481L
Calacatta Lincoln Matte
24x48 - CLA2LIN24481U



Macaoel White Glazed Polished
24x48 - CLA2MAC24481L
Macaoel White Matte
24x48 - CLA2MAC24481U

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	9" x 10"	9.13" x 10.47"	5/16"	18	9.08
	12" x 24"	11.81" x 23.62"	3/8"	8	15.49
	24" x 48"	23.62" x 47.24"	3/8"	2	15.49

CLASSICS II

Porcelain Floor Tile

commodiTile
value+quality+design

TECHNICAL SPECIFICATIONS	9" x 10" HEXAGON	12" x 24"	24" x 48"
 Material Type	Porcelain	Porcelain	Porcelain
 Finish	Matte	Polished / Matte	Polished / Matte
 Edge	Pressed	Rectified	Rectified
 Color Variation	V3	V3	V3
 Printing	Digital	Digital	Digital
 Installation	Floor / Wall	Floor / Wall	Floor / Wall
 Usage	Residential / Commercial	Residential / Commercial	Residential / Commercial
 Grout Joint Recomm.	3/8"	1/8"	1/8"
 Thickness	5/16"	3/8"	3/8"
 Shower Pan	Yes	No	No
 Pool Lining*	No	Yes	Yes
 Fireplace Surround*	Yes	Yes	Yes
 Frost Resistant	No	Yes	Yes

*Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS	9" x 10" HEXAGON	12" x 24"	24" x 48"
 Water Absorption (C373)	< 0.5%	< 0.5%	< 0.5%
 Breaking Strength (C648)	≥ 250 lbs	≥ 250 lbs	≥ 250 lbs
 Surface Abrasion (MOHS)	7.0	Glazed Polished - 6.0 Matte - 7.0	Glazed Polished - 6.0 Matte - 7.0
 Chem. Resistance (C650)	Resistant	Resistant	Resistant
 D.C.O.F. (A137.1)	≥ 0.42	Glazed Polished - ≥ 0.42 Matte - N/A	Glazed Polished - ≥ 0.42 Matte - N/A
 Scratch Hardness (P.E.I)	4	4	4

CLASSICS II

Porcelain Mosaics

COLOR AVAILABILITY - MOSAICS

Herringbone - Glossy



Calacatta Lincoln
CLA2LINHER



Macao White
CLA2MACHER

Pennyround - Matte




Calacatta Lincoln
CLA2LINROUND



Macao White
CLA2MACROUND

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	N/A	12.40" x 10.83"	1/4"	10	9.32
	N/A	12.44" x 11.57"	1/4"	10	10.00

CLASSICS II

Porcelain Mosaics

TECHNICAL SPECIFICATIONS	HERRINGBONE	PENNYROUND
 Material Type	Porcelain	Porcelain
 Finish	Glossy	Matte
 Edge	Pressed	Pressed
 Color Variation	V3	V3
 Printing	Digital	Digital
 Installation	Wall	Floor / Wall
 Usage	Residential / Commercial	Residential / Commercial
 Grout Joint Recomm.	1/16"	1/16"
 Thickness	1/4"	1/4"
 Shower Pan	No	Yes
 Pool Lining*	Yes	Yes
 Fireplace Surround*	Yes	Yes
 Frost Resistant	Resistant	Resistant

*Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS	HERRINGBONE	PENNYROUND
 Water Absorption (C373)	< 0.5%	< 0.5%
 Breaking Strength (C648)	N/A	N/A
 Surface Abrasion (MOHS)	6.0	6.0
 Chem. Resistance (C650)	Resistant	Resistant
 D.C.O.F. (A137.1)	N/A	N/A
 Scratch Hardness (P.E.I)	3	3

CLASSICS

Glazed Porcelain Floor Tile

commodiTile
value+quality+design



Photo Features Italian Carrara

Colors



CTCLCAR12241L ITALIAN CARRARA 12" x 24" GLAZED POLISHED PORCELAIN
CTCLCAR12241U ITALIAN CARRARA 12" x 24" HONED MATTE PORCELAIN



CTCLCAR24241L ITALIAN CARRARA 24" x 24" GLAZED POLISHED PORCELAIN
CTCLCAR24241U ITALIAN CARRARA 24" x 24" HONED MATTE PORCELAIN



CTCLVEN12241L VENETIAN GRAY 12" x 24" GLAZED POLISHED PORCELAIN
CTCLVEN12241U VENETIAN GRAY 12" x 24" HONED MATTE PORCELAIN



CTCLVEN2HEX1P VENETIAN GRAY
2" HEXAGON MOSAIC



CTCLCAR2HEX1P CARRARA
2" HEXAGON MOSAIC

Sizes

		Sq. Ft. per carton		Faces	Pieces per carton
		Actual	Nominal		
	*24" x 24"	15.5	16	8	4
	12" x 24"	9.7	10	12	5
	12.68" x 10.43"	9.2	10	N/A	10

*Italian Carrara only – both finishes

Application

	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓*	
Walls/Backsplashes	✓	✓	✓	

Counters

Pool Linings

*24" x 24" and 12" x 24" only


Installation

Size	Thickness	Grout Joint Recommendation	Shade Variation
24" x 24", 12" x 24"	3/8"	1/8"	V3
Mosaics	1/4"	1/8"	V3

Test Results

	ASTM#	Result
Breaking Strength	C648	≥ 250 lbs.
Stain Resistance	C1378	Pass
DCOF*	ANSI 137.1	≥ 0.42
PEI*	C1027	PEI 4

*Applies to honed matte porcelain floor tile only



DURSTONE

DURSTONE Crafted from resilient porcelain, Durstone is an ideal choice for a seamless transition from indoor to outdoor living. These large format tiles are offered in both an R9 and R11 finish, with the R11 anti-slip option to be used safely in both wet and dry outdoor applications.

THE DETAILS:

- Warm and neutral porcelain floor tiles in 12"x24" and 24"x48" formats
- 24" x 48" also available in R11 anti-slip option that meets or exceeds a DCOF of 0.60

STYLE IT:

- Combine a single color wall-to-floor combination to create a modern and crisp bathroom vibe
- Use the large format floor in commercial areas to create a neutral base to any room
- Bring the indoors out with ease by using the anti-slip option for patio floors, pool decking or outdoor grill areas




Photo features Taupe Matte R11 Anti-Slip 24x48

COLOR AVAILABILITY - FLOOR



White Matte 12x24
CEDRS030001



White Matte 24x48 - R9
CEDRS060017
White Matte 24x48 - R11 Anti-Slip
CEDRS060021



Taupe Matte 12x24
CEDRS030004



Taupe Matte 24x48 - R9
CEDRS060020
Taupe Matte 24x48 - R11 Anti-Slip
CEDRS060022

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	12" x 24"	11.81" x 23.62"	3/8"	5	9.68
	24" x 48"	23.62" x 47.24"	3/8"	2	15.49

TECHNICAL SPECIFICATIONS	12x24 / 24 x 48	24 x 48 (R11) Anti-Slip
 Material Type	Porcelain	Porcelain
 Finish	Matte	Matte
 Edge	Rectified	Rectified
 Color Variation	V2	V2
 Printing	Digital	Digital
 Installation	Floor / Wall	Floor / Wall
 Usage	Residential / Commercial	Residential / Commercial
 Grout Joint Recomm.	1/8"	1/8"
 Thickness	3/8"	3/8"
 Shower Pan	No	Yes
 Pool Lining*	Yes	Yes
 Pool Decking / Uncovered Patio	No	Yes
 Fireplace Surround*	Yes	Yes
 Frost Resistant	Resistant	Resistant

*Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS	12x24 / 24 x 48	24 x 48 (R11) Anti-Slip
 Water Absorption (C373)	< 0.5%	< 0.5%
 Breaking Strength (C648)	≥ 250 lbs	≥ 250 lbs
 Surface Abrasion (MOHS)	7.0	7.0
 Chem. Resistance (C650)	Resistant	Resistant
 D.C.O.F. (A137.1)	≥ 0.42	≥ 0.60
 Scratch Hardness (P.E.I)	4	4



ELEMENTS

ELEMENTS delivers a strong and durable surface for any high traffic area, in a range of light to dark color options. Keep things simple, traditional and clean with either the hexagon or the pennyround mosaic.

THE DETAILS:

- Full-body mosaics in 2" Hexagon or Pennyround shape, offered in four neutral colors

STYLE IT:

- Gym shower or sauna floors
- Restaurant entryways and corridors



Photo features Lead Hexagon

ELEMENTS

Full-Body Porcelain Mosaics

commodiTile
value+quality+design

COLOR AVAILABILITY - HEXAGON



Carbon
ELCAR2HEX



Lead
ELLEA2HEX




Oxygen
ELOXY2HEX




Platinum
ELPLA2HEX

COLOR AVAILABILITY - PENNYROUND




Carbon
ELCARPENNY



Lead
ELLEAPENNY



Oxygen
ELOXPENNY



Platinum
ELPLAPENNY

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	N/A	12.68" x 10.98"	1/4"	11	10.64
	N/A	12.32" x 11.38"	1/4"	10	9.73

ELEMENTS

Full-Body Porcelain Mosaics

TECHNICAL SPECIFICATIONS		MOSAIC
	Material Type	Full-Body Porcelain
	Finish	Matte
	Edge	Pressed
	Color Variation	V1
	Printing	N/A
	Installation	Wall / Floor
	Usage	Residential / Commercial
	Grout Joint Recomm.	1/16"
	Thickness	1/4"
	Shower Pan	Yes
	Pool Lining*	No
	Fireplace Surround*	Yes
	Frost Resistant	Yes

*Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS		MOSAIC
	Water Absorption (C373)	< 0.5%
	Breaking Strength (C648)	N/A
	Surface Abrasion (MOHS)	7
	Chem. Resistance (C650)	Resistant
	D.C.O.F. (A137.1)	> 0.42
	Scratch Hardness (P.E.I)	3

IMPRESSIONS

Glazed Porcelain Floor Tile

commodiTile
value+quality+design



Photo Features Quartz

Colors



CTIMSIL12241P SILVER 12" x 24"



CTIMSIL221P SILVER
2" x 2" MOSAIC



CTIMQUA12241P QUARTZ 12" x 24"



CTIMQUA221P QUARTZ
2" x 2" MOSAIC



CTIMCHA12241P CHARCOAL 12" x 24"



CTIMCHA221P CHARCOAL
2" x 2" MOSAIC

Sizes

		Sq. Ft. per carton		Faces	Pieces per Carton
		Actual	Nominal		
	12" x 24"	9.7	10	10	5
	11.89" x 11.89"	9.8	10	N/A	10

Application

	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓*	
Walls/Backsplashes	✓	✓	✓	

Counters

Pool Linings

*12" x 24" only

Installation

Size	Thickness	Grout Joint Recommendation	Shade Variation
12" x 24"	3/8"	1/8"	V2
Mosaics	1/4"	1/8"	V2

Test Results

	ASTM#	Result
Breaking Strength	C648	≥ 250 lbs.
Stain Resistance	C1378	Pass
DCOF	ANSI 137.1	≥ 0.42
PEI	C1027	PEI 4

PURE


Glazed Porcelain Floor Tile

commodiTile
value+quality+design




Photo Features Frost White Glazed Polished


Colors



CTPUWHT12241L Frost White Glazed Polished 12" x 24"
CTPUWHT12241P Frost White Matte 12" x 24"



CTPUWHT24241L Frost White Glazed Polished 24" x 24"
CTPUWHT24241P Frost White Matte 24" x 24"



CTPUWHT24481L Frost White Glazed Polished 24" x 48"

Sizes

		Sq. Ft. per carton		Faces	Pieces per Carton
		Actual	Nominal		
	*24" x 48"	15.5	16	N/A	2
	24" x 24"	15.5	16	N/A	4
	12" x 24"	9.7	10	N/A	5

*Glazed polished finish only

Application

	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓	
Walls/Backsplashes	✓	✓	✓	
Counters				
Pool Linings				

Installation

Size	Thickness	Grout Joint Recommendation	Shade Variation
24" x 48", 24" x 24" & 12" x 24"	3/8"	1/8"	V1

Test Results

	ASTM#	Result
Breaking Strength	C648	≥ 250 lbs.
Stain Resistance	C1378	Pass
DCOF*	ANSI 137.1	≥ 0.42
PEI*	C1027	PEI 4

*Applies to matte porcelain floor tile only

SICILY

Glazed Porcelain Floor Tile

commodiTile
value+quality+design



Photo Features Catania Honed Matte

Colors



CTSILCAT12241L CATANIA 12" x 24" GLAZED POLISHED PORCELAIN
CTSILCAT12241U CATANIA 12" x 24" HONED MATTE PORCELAIN



CTSILCAT24481L CATANIA 24" x 48" GLAZED POLISHED PORCELAIN
CTSILCAT24481U CATANIA 24" x 48" HONED MATTE PORCELAIN



CTSILTAO12241L TAORMINA 12" x 24" GLAZED POLISHED PORCELAIN
CTSILTAO12241U TAORMINA 12" x 24" HONED MATTE PORCELAIN



CTSILTAO24481L TAORMINA 24" x 48" GLAZED POLISHED PORCELAIN
CTSILTAO24481U TAORMINA 24" x 48" HONED MATTE PORCELAIN



CTSILETN12241L ETNA 12" x 24" GLAZED POLISHED PORCELAIN
CTSILETN12241U ETNA 12" x 24" HONED MATTE PORCELAIN



CTSILETN24481L ETNA 24" x 48" GLAZED POLISHED PORCELAIN
CTSILETN24481U ETNA 24" x 48" HONED MATTE PORCELAIN



CTSILCAT221P
CATANIA
2" x 2" MOSAIC



CTSILTAO221P
TAORMINA
2" x 2" MOSAIC



CTSILETN221P
ETNA
2" x 2" MOSAIC

Sizes

		Sq. Ft. per carton		Faces	Pieces per Carton
		Actual	Nominal		
	24" x 48"	15.5	16	8	2
	12" x 24"	9.7	10	12	5
	11.89" x 11.89"	9.8	10	N/A	10

Application

	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓*	
Walls/Backsplashes	✓	✓	✓	
Counters				
Pool Linings				

*24" x 48" and 12" x 24" only

Installation

Size	Thickness	Grout Joint Recommendation	Shade Variation
24" x 48" & 12" x 24"	3/8"	1/8"	V3
Mosaics	1/4"	1/8"	V3

Test Results

	ASTM#	Result
Breaking Strength	C648	≥ 250 lbs.
Stain Resistance	C1378	Pass
DCOF*	ANSI 137.1	≥ 0.42
PEI*	C1027	PEI 4

*Applies to honed matte porcelain floor tile only