


2025 CERAMIC PRODUCTS



realstone **SYSTEMS™**
Inspiring. Timeless. Enduring.



ARTISAN

ARTISAN Stone-looks and decorative patterns collide to bring geometric flair to your space. ARTISAN is a pressed glass hexagon mosaic, blended in four neutral color palettes and designs.

THE DETAILS:

- 1.5" Pressed glass hexagon offered in a matte finish
- Durable allowing for more application opportunities for both walls and floors

STYLE IT:

- Pool linings or water feature accent walls
- Kitchen backsplashes that will stand the test of time
- Shower pans for a decorative touch



ARTISAN

Pressed Glass Mosaic

C E R A M I C S

COLOR AVAILABILITY



Travertine
ARTHEX01



Grigio
ARTHEX02



Onyx
ARTHEX03



Carrara
ARTHEX04

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	N/A	11.25" x 11.25"	1/4"	14	12.18

TECHNICAL SPECIFICATIONS

1.5" HEXAGON

	Material Type	Pressed Glass
	Finish	Matte
	Edge	Pressed
	Color Variation	V3
	Printing	Digital
	Installation	Wall / Floor
	Usage	Residential / Commercial*
	Grout Joint Recomm.	1/16"
	Thickness	1/4"
	Shower Pan	Yes
	Pool Lining*	Yes
	Fireplace Surround*	Yes
	Frost Resistant	Yes

* Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS

1.5" HEXAGON

	Water Absorption (C373)	< 0.5%
	Breaking Strength (C648)	≥ 250 lbs
	Surface Abrasion (MOHS)	6
	Chem. Resistance (C650)	Resistant
	D.C.O.F. (A137.1)	N/A
	Scratch Hardness (P.E.I)	N/A

realstone **SYSTEMS™**
Inspiring. Timeless. Enduring.



BACK
TO BASICS

BACK TO BASICS Available in a sleek 2"x10" size and boasting 11 trend-forward colors in a high gloss finish, these tiles redefine simplicity. Perfect for both residential and commercial spaces, this collection is the foundation for creating effortlessly chic interiors.

THE DETAILS:

- 2" x 10" gloss ceramic wall tile with available jolly trim*

STYLE IT:

- Kitchen backsplashes' perfect match
- Show the personality of a boutique shop or trendy cafes
- Accent features walls behind vanity walls and bathtubs

* Bianco also available in matte finish



BACK TO BASICS

Ceramic Wall Tile

realstone **SYSTEMS**[™]
Inspiring. Timeless. Enduring.

COLOR AVAILABILITY - WALL



Bianco Gloss
CEBAC006001



Bianco Matte
CEBAC006002



Nero Gloss
CEBAC006003



Ceruleo Gloss
CEBAC006004




Cipria Gloss
CEBAC006005



Rosa Antico Gloss
CEBAC006006



Senape Gloss
CEBAC006007



Muschio Gloss
CEBAC006008



Perla Gloss
CEBAC006009



Fango Gloss
CEBAC006010



Tortora Gloss
CEBAC006011

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	2" x 10"	2.36" x 9.84"	9mm	30	4.84
	0.5" x 10"	N / A	9mm	20	N / A

BACK TO BASICS

Ceramic Wall Tile

TECHNICAL SPECIFICATIONS

WALL

	Material Type	Ceramic
	Finish	Matte / Gloss
	Edge	Pressed
	Color Variation	V1
	Printing	N/A
	Installation	Wall
	Usage	Residential / Commercial
	Grout Joint Recomm.	1/8"
	Thickness	9mm
	Shower Pan	No
	Pool Lining*	No
	Fireplace Surround*	Yes
	Frost Resistant	No


*Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS

WALL

	Water Absorption (C373)	> 10%
	Breaking Strength (C648)	N/A
	Surface Abrasion (MOHS)	6
	Chem. Resistance (C650)	Resistant
	D.C.O.F. (A137.1)	N/A
	Scratch Hardness (P.E.I)	N/A

Variations in shade, texture and edge profile are inherent in all glass, ceramic, porcelain and stone tile. Always inspect product prior to installation.



BEAT



BEAT A dynamic ceramic wall tile collection that brings vibrancy and boldness to any space. With its modern 2"x 8" size format and striking structures, Beat offers endless possibilities for creative expression. Elevate your design with this captivating collection and transform any room into a statement of style and sophistication.

THE DETAILS:

- 2" x 8" ceramic wall tile offered in satin and gloss finishes*
- Six contemporary color colorways
- Modular size allows creative pattern and layout options

STYLE IT:

- Open kitchen concepts in modern restaurants and coffee shops
- Mid-century inspired living spaces
- Pop-of-colors for kids bathrooms and spaces

*Gloss only available in Milk









Photo features Ultramarine Flat and Swing, Sage Flat and Milk Flat Gloss

COLOR AVAILABILITY - WALL

			
Cinnamon Flat CEBEACINN28FLAT	Cinnamon Dixie CEBEACINN28DIXI	Cinnamon Charleston CEBEACINN28CHAR	Cinnamon Swing CEBEACINN28SWNG
			
Lemonade Flat CEBEALEMO28FLAT	Lemonade Dixie CEBEALEMO28DIXI	Lemonade Charleston CEBEALEMO28CHAR	Lemonade Swing CEBEALEMO28SWNG
			
Powder Flat CEBEAPOWD28FLAT	Powder Dixie CEBEAPOWD28DIXI	Powder Charleston CEBEAPOWD28CHAR	Powder Swing CEBEAPOWD28SWNG
			
Sage Flat CEBEASAGE28FLAT	Sage Dixie CEBEASAGE28DIXI	Sage Charleston CEBEASAGE28CHAR	Sage Swing CEBEASAGE28SWNG
			
Ultramarine Flat CEBEAULTR28FLAT	Ultramarine Dixie CEBEAULTR28DIXI	Ultramarine Charleston CEBEAULTR28CHAR	Ultramarine Flat CEBEAULTR28FLAT
			
Milk Flat CEBEAMILK28FLAT	Milk Dixie CEBEAMILK28DIXI	Milk Charleston CEBEAMILK28CHAR	Milk Swing CEBEAMILK28SWNG
			
Milk Flat Gloss CEBEAMILK28FLATGL	Milk Dixie Gloss CEBEAMILK28DIXIGL	Milk Charleston Gloss CEBEAMILK28CHARGL	Milk Swing Gloss CEBEAMILK28SWNGGL

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	2" x 8"	1.97" x 7.87"	8mm	50	5.40
	0.5" x 8"	N / A	8mm	20	N / A

BEAT

Ceramic Wall Tile

realstone **SYSTEMS**[™]
Inspiring. Timeless. Enduring.

C E R A M I C S

TECHNICAL SPECIFICATIONS

WALL

	Material Type	Ceramic
	Finish	Satin / Gloss
	Edge	Pressed
	Color Variation	V1
	Printing	N/A
	Installation	Wall
	Usage	Residential / Commercial
	Grout Joint Recomm.	1/8"
	Thickness	8mm
	Shower Pan	No
	Pool Lining*	No
	Fireplace Surround*	Yes
	Frost Resistant	No

*Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS

WALL

	Water Absorption (C373)	> 10%
	Breaking Strength (C648)	N/A
	Surface Abrasion (MOHS)	6
	Chem. Resistance (C650)	Resistant
	D.C.O.F. (A137.1)	N/A
	Scratch Hardness (P.E.I)	N/A

Variations in shade, texture and edge profile are inherent in all glass, ceramic, porcelain and stone tile. Always inspect product prior to installation.

realstone **SYSTEMS™**
Inspiring. Timeless. Enduring.



BOTANICALS

BOTANICALS

Artist-inspired florals make these 3" hexagon pressed glass mosaics a unique find, bringing an element of sophistication, charm and wallpaper-like style to walls and floors.

THE DETAILS:

- 3" pressed glass hexagon
- Offered two floral designs and 6 colors

STYLE IT:

- Pool linings and water features
- Kitchen backsplashes
- Accent walls and niches
- Shower walls and floors

BOTANICALS

Pressed Glass Mosaic

COLOR AVAILABILITY



Ainsley
BOTAIN3HEX



Bryn
BOTBRY3HEX



Freya
BOTFRE3HEX



Elowen
BOTELO3HEX



Calla
BOTCAL3HEX



Daphne
BOTDAP3HEX

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	N/A	11.73" x 10.20"	1/4"	10	8.31

TECHNICAL SPECIFICATIONS		3" HEXAGON
	Material Type	Pressed Glass
	Finish	Matte
	Edge	Pressed
	Color Variation	V3
	Printing	Digital
	Installation	Wall / Floors
	Usage	Residential / Commercial
	Grout Joint Recomm.	1/16"
	Thickness	1/4"
	Shower Pan	Yes
	Pool Lining*	Yes
	Fireplace Surround*	Yes
	Frost Resistant	Yes

* Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS		3" HEXAGON
	Water Absorption (C373)	< 0.5%
	Breaking Strength (C648)	N/A
	Surface Abrasion (MOHS)	4
	Chem. Resistance (C650)	Resistant
	D.C.O.F. (A137.1)	N/A
	Scratch Hardness (P.E.I)	N/A

realstone **SYSTEMS™**
Inspiring. Timeless. Enduring.



CASABLANCA

CASABLANCA blurs the lines between classic and contemporary, with vibrant colorways, go-to shapes and fun patterns. Bring dimension to walls with the structured wall tile, and round out the design with the petite hexagon floor tile.

THE DETAILS:

- 2" x 6" double-fired, dimensional wall tiles in three pre-mixed profiles
- 5.5" x 6" hexagonal floor tiles in solid colorways and complimenting decors

STYLE IT:

- Bar backsplashes with exposed shelving
- Mixed hexagon solid and decors in a powder or smaller bathroom floor
- Lobby or activity room accent walls in boutique hotels



Photo features Saffron 2" x 6"



Photo features Emerald Deco






Photo features Cloud Solid

!"#\$%&'()*+,-./:0123456789

COLOR AVAILABILITY - WALL

					
					
					
4*FF\$ O4)P4618G	O+.%& O4)P ORM8G	- ' *\$(U\$ O4)P UVW8G	!>'\$ *+& O4)P!T!8G	OA*>@*R,' O4)P OS68G	M/' *,(N+%' O4)PNP Q8G

COLOR AVAILABILITY - FLOOR

					
M/' *,(N+%'(4.+0& O41PNQJG	O+.%&(4.+0& O41FORMJG	- ' *\$(U\$(4.+0& O41RUVWJG	!>'\$ *+(X'/. O41P!T!JGX!O M	OA*>@*R,'(X'/. O41POS6JGX!O M	M/' *,(N+%'(X'/. O41PNQJGX!OM

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	(((8"((	: DCH"((J D: H	(((B> > (8> >	(((G(	(((J E J
	(((JH"((	J J: H"((E KH	(((B H (	(((E9((	(((J E C

*All three profiles are included in equal quantities in each carton.

! " # \$ % & ' () * + (* & (- . \$ / ' # 0 (1 + . \$ (2 3 4 5 6 7 8 9 : ; < = > ? @ A B C D E F G H I J K L M N O P Q R S T U V W X Y Z [\] ^ _ ` { | } ~ ¡ ¢ £ ¤ ¥ ¦ § ¨ © ª « ¬ ® ¯ ° ± ² ³ ´ µ ¶ · ¸ ¹ º » ¼ ½ ¾ ¿ À Á Â Ã Ä Å Æ Ç È É Ê Ë Ì Í Î Ï Ñ Ò Ó Ô Õ Ö × Ø Ù Ú Û Ü Ý Þ ß à á â ã

C E R A M I C S

TECHNICAL SPECIFICATIONS	WALL	FLOOR
 Material Type	Ø' \$* > Ø(Y! " # \$ % & ' & Z	- . \$ / ' # 0,
 Finish	U + 775	T * ###
 Edge	- \$ 7 7' &	- \$ 7 7' &
 Color Variation	[K	[E
 Printing	\ L 6	X 0 R Ø +
 Installation	) * +	) * + (L (1 . \$ (
 Usage	V' 7 Ø & ' , # Ø + (L (Ø > > ' \$ Ø + (	V' 7 Ø & ' , # Ø + (L (Ø > > ' \$ Ø + ((
 Grout Joint Recomm.	: L: Q (. \$ (\ . (U \$ % # (^ Q #	: L B]
 Thickness	B > > (= : 8 > >	E L B]
 Shower Pan	\.	W' 7
 Pool Lining*	\.	W' 7
 Fireplace Surround*	W' 7	W' 7
 Frost Resistant	\.	W' 7

I - \$ @ \$(Ø7# + # 0) , (> ' # A & 7 (> % Ø # (a (F. + + ; ' & (@ \$(Ø b / # < (+ * 7' (\$' F \$ \$, / ' (2 Ø \ 6 (F. \$ (> . \$(0, F. \$ > * # 0 , <

TEST RESULTS	WALL	FLOOR
 Water Absorption (C373)	_(: 9`	≤ 0.5 %
 Breaking Strength (C648)	\ L 6	≥ 250 LBS
 Surface Abrasion (MOHS)	\ L 6	J < 9
 Chem. Resistance (C650)	\ L 6	V' 7 Ø # , # (
 D.C.O.F. (A137.1)	\ L 6	_(9 < 8
 Scratch Hardness (P.E.I)	\ L 6	K

4 @ / Ø + (Ø , 7 Ø & ' \$ * # 0 , 7 (E \$ () * + €

- Variations in caliber, flatness, straightness, texture, design and shade are present in the artisanal manufacture process of this product.
- ((((((4 @ / Ø + (* & (Ø b \$ * , # (R # e' 7 / (* , (@ \$ & % / ' (* , (0, # , # 0 , * + (\$ * / f + (% @ , (@ \$ & % / # 0 , g (Ø # \$ * , 7 @ \$ # (. \$ (* F # \$(Ø 7 # + # # 0 , <
- Dry-stacking is recommended for wall tile, although not required. When installing in a wet area, a waterproof membrane is required prior to installation, (((((((((((* & (R \$ % # 0 R (* , & (7 * Ø R (; Ø + (Ø , ' / ' 7 7 * \$ 5 < (



Photo features Ocean Blue 2" x 6", Ocean Blue Deco and Cloud Solid

realstone **SYSTEMS™**
Inspiring. Timeless. Enduring.



COASTLINE



COASTLINE gives an effortless upgrade to your walls. This series takes the classic pressed glass mosaic and boosts it by adding a dimensional glaze-effect color overlay. The lantern shape allows for a more traditional design, while the overall style gives a fresh and updated feel.

THE DETAILS:

- 2" pressed glass lantern in a matte/glossy combination
- Offered in three colors inspired by the California coast

STYLE IT:

- Pool linings and water features
- Kitchen backsplashes for an updated feel
- Accent walls for a pop of color

COASTLINE

Pressed Glass Mosaic

C E R A M I C S

COLOR AVAILABILITY



Big Sur
COST01221P



La Jolla
COST02221P



Monterey
COST03221P

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	N/A	9.8" x 12.11"	1/4"	14	11.62

TECHNICAL SPECIFICATIONS		2" LANTERN
	Material Type	! "\$\$\$%&'() \$\$
	Finish	*) 00#E (+\$\$1&
	Edge	! "\$\$\$%#%
	Color Variation	05
	Printing	R,00(
	Installation	S) ((&
	Usage	T#\$,%#M0) (&E&9 9 #"-.) (
	Grout Joint Recomm.	@0CF
	Thickness	@0EF
	Shower Pan	D+
	Pool Lining*	U#\$
	Fireplace Surround*	U#\$
	Frost Resistant	U#\$

Y&!+; #"\$&Y\$Q (() Q+M�<+%\$&P\$0&#&A(+6 #%&#"&,"+[#- 07&(##) \$##&#/"#M #&U D2&A"&9+"#&Y#+"9) Q+M7&

TEST RESULTS		2" LANTERN
	Water Absorption (C373)	V&4W
	Breaking Strength (C648)	DE2
	Surface Abrasion (MOHS)	G
	Chem. Resistance (C650)	T#\$,\$QM0
	D.C.O.F. (A137.1)	DE2
	Scratch Hardness (P.E.I)	DE2



DISK

DISK Warm and modern go hand-in-hand with this stamped concrete inspired porcelain floor tile. DISK offers the complete package, beginning with mosaics and ending with larger formats. Think contemporary lofts, open floor plans, and urban shopping districts as just some of the spaces this series can be installed.

THE DETAILS:

- 2" x 2" porcelain mosaic
- 12" x 24", 24" x 24" and 36" x 36" porcelain
- 14" x 16" porcelain hexagon

STYLE IT:

- Transitional or modern lofty spaces
- Large, open living spaces and bathrooms
- Sun room floors and entryways




Photo features Brown 2" x 2"




Photo features Grey 14" x 16" Hexagon


DISK

Porcelain Floor Tile

COLOR AVAILABILITY - FLOOR




Beige
12x24 - PO3060DIS320R
24x24 - PO6060DIS320R
36x36 - CEDIS090006



Brown
12x24 - PO3060DIS370R
24x24 - PO6060DIS370R
36x36 - CEDIS090007



Grey
12x24 - PO3060DIS310R
24x24 - PO6060DIS310R
36x36 - CEDIS090008




Anthracite
12x24 - PO3060DIS390R
24x24 - PO6060DIS390R
36x36 - CEDIS090005




Beige Hexagon
PO2040DIS32ESA



Brown Hexagon
PO2040DIS37ESA



Grey Hexagon
PO2040DIS31ESA



Anthracite Hexagon
PO2040DIS39ESA

COLOR AVAILABILITY - MOSAIC




Beige
PO0505DIS320M



Brown
PO0505DIS370M



Grey
PO0505DIS310M



Anthracite
PO0505DIS390M

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	N/A	11.63" x 11.63"	3/8"	6	5.81
	12" x 24"	11.62" x 23.62"	3/8"	6	11.62
	14" x 16" Hexagon	13.77" x 15.75"	3/8"	9	10.07
	24" x 24"	23.62" x 23.62"	3/8"	3	11.62
	36" x 36"	35.43" x 35.43"	3/8"	2	17.44

TECHNICAL SPECIFICATIONS	MOSAIC	HEXAGON	FLOOR
 Material Type	!"#\$%&(')	!"#\$%&(')	!"#\$%&(')
 Finish	O' //%	O' //%	O' //%
 Edge	Rectified	Pressed	Rectified
 Color Variation	T3	T3	T3
 Printing	M(J(/' &	M(J(/' &	M(J(/' &
 Installation	U ' &*E&+" #	U ' &*E&+" #*	U ' &*E&+" #*
 Usage	Residential / Commercial	Residential / Commercial	Residential / Commercial
 Grout Joint Recomm.	?E<F	?E<W	?E<W
 Thickness	@E<F	@E<W	@E<W
 Shower Pan	V%2	V%2	V%2
 Pool Lining*	V%2	V%2	V%2
 Fireplace Surround*	V%2	V%2	V%2
 Frost Resistant	V%2	V%2	V%2

*Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS	MOSAIC	HEXAGON	FLOOR
 Water Absorption (C373)	X*46*Y	X*46*Y	X*46*Y
 Breaking Strength (C648)	≥ 250 LBS	≥ 250 LBS	≥ 250 LBS
 Surface Abrasion (MOHS)	=4	=4	=4
 Chem. Resistance (C650)	R%2(2") /	R%2(2") /	R%2(2") /*
 D.C.O.F. (A137.1)	≥ 0.42	≥ 0.42	≥ 0.42
 Scratch Hardness (P.E.I)	H	H	H

Variations in shade, texture and edge profile are inherent in all glass, ceramic, porcelain and stone tile. Always inspect product prior to installation.



Photo features Beige 24" x 24"



FINISH LINE

FINISH LINE Give your space a modern touch with the versatile, timeless beauty that is Finish Line. Add an eye-catching geometric pop of style to any room with the 2" hexagon mosaics. This bold 2" mosaic combines textured glass, natural stone, and metal for a dimensional look that makes a statement. Opt for a fresh, modern accent to your kitchen or laundry room with the porcelain pennyround mosaics. Durable and timeless, this simple tile brings a clean, elegant look to your space.

THE DETAILS:

- Timeless Porcelain Pennyround mosaics in both glossy and matte finishes
- Modern, geometric Glass, Metal and Stone Mosaics in 2" Hexagon

STYLE IT:

- Style the Pennyrounds in powder baths, laundry rooms and bathroom backspashes
- Add 2" Hexagon to kitchen or bar backsplash for added elegance




FINISH LINE

Mosaics


realstone **SYSTEMS™**
Inspiring. Timeless. Enduring.

C E R A M I C S


COLOR AVAILABILITY



Glossy White
NHWHTPRG
Matte White
NHWHTPRM




Glossy Black
NHBLKPRG
Matte Black
NHBLKPRM



Flint
NHUFLTPRM



Vanilla
NHUVANPRM



Silken Gray
NHUGRYPRM



Pearl 2" Hex
NHHEX4807



Obsidian 2" Hex
NHHEX4803

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	N/A	12.25" x 11.50"	3/16"	10	10.00
	N/A	11.75" x 11.75"	1/4"	11	10.55

TECHNICAL SPECIFICATIONS	PENNYROUND	2" HEXAGON
 Material Type	I " O&,\$%U	E,\$##c()**" U-(\$ UT(! - *\$,
 Finish	E," ##+(B(!\$**-	E," ##+(B(!\$**-
 Edge	I O# #T	I O# #T
 Color Variation	X<	X=
 Printing	A(B(.	A(B(.
 Installation	V," " O(B(\$,,	F\$,,
 Usage	J- #%- U*\$(B(b' 5 5 - O%,(	J- #%- U*\$(B(b' 5 5 - O%,(
 Grout Joint Recomm.	<B'D	<B'D
 Thickness	=B<@D	<B D
 Shower Pan	Y- #	A "
 Pool Lining*	Y- #	A "
 Fireplace Surround*	Y- #	Y- #
 Frost Resistant	Y- #	A "

_ J O7- O(9%*\$,\$*%U(5- *8" T#(5` #\*(S->" ,," 2- T(7- O(D a 8\*3(l,- \$#.(O > O U&{(HbA.<)" O(5' Q%U\$` O \$*%U3

TEST RESULTS	PENNYROUND	2" HEXAGON
 Water Absorption (C373)	Z(03Q	A(B(.
 Breaking Strength (C648)	≥ 250 lbs	A(B(.
 Surface Abrasion (MOHS)	9D	A(B(.
 Chem. Resistance (C650)	J- #%*\$U*	A(B(.
 D.C.O.F. (A137.1)	\(0 3!/(! \$**- ^	A(B(.
 Scratch Hardness (P.E.I)	A(B(.	A(B(.



realstone **SYSTEMS™**
Inspiring. Timeless. Enduring.



LINEA

LINEA offers a variety of both classic and trendy colorways in two linear ceramic wall tile formats. The slight irregular edge detail matched with the rich and pigmented tones present endless design opportunities for most color palettes and styles.

THE DETAILS:

- 3" x 12" ceramic wall tile in matte and glossy
- 2" x 20" ceramic wall tile in glossy
- Rich, deep and pigmented colors

STYLE IT:

- Make a bold impression and use the vibrant colors on kitchen backsplashes
- Vertically install on shower walls to give the appearance of taller ceilings
- Herringbone a vanity accent wall and pair with a floating cabinet




LINEA

Ceramic Wall Tile


realstone **SYSTEMS**[™]
Inspiring. Timeless. Enduring.

C E R A M I C S


COLOR AVAILABILITY - 3x12




Ardesia Glossy
LINARD312L




Ardesia Matte
LINARD312U




Ghiaccio Glossy
LINGHI312L




Ghiaccio Matte
LINGHI312U



Prussia Glossy
LINPRU312L




Prussia Matte
LINPRU312U



Terracotta Glossy
LINTER312L



Terracotta Matte
LINTER312U




Sabbia Glossy
LINSAB312L



Verde Menta Glossy
LINVER312L




Moka Glossy
LINMOK312L




Cenere Glossy
LINCEN312L

COLOR AVAILABILITY - 2x20



Ardesia Glossy
LINARD220L



Ghiaccio Glossy
LINGHI220L




Prussia Glossy
LINPRU220L




Terracotta Glossy
LINTER220L



Sabbia Glossy
LINSAB220L



Verde Menta Glossy
LINVER220L



Moka Glossy
LINMOK220L



Cenere Glossy
LINCEN220L

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	3" x 12"	2.95" x 11.81"	3/8"	44	10.78
	2" x 20"	1.96" x 19.68"	3/8"	20	5.38
	.5" x 12" Jolly	0.59" x 11.81"	3/8"	50	N/A

I #8: " #/T1.\$**\$.8T(%".:;8Q1(%J1.Z"(@**85" Q(: " #/:#8`"' .6(I*"\$1"("# @#"T' "(+! H0(@#/%8#'(T@#%\$.8T6

www.realstone.com · ph. 248-614-6613



Photo features Ghiaccio Glossy 2" x 20"



Photo features Moka Glossy 3" x 12"

realstone **SYSTEMS™**
Inspiring. Timeless. Enduring.

LONDON METRO

LONDON METRO creates a soft, effortless vibe for every design aesthetic. The satin matte finish, clean lines and perfect shades of gray elevate walls and makes spaces appear larger.

THE DETAILS:

- 3" x 12" satin matte ceramic wall tile with bullnose trim

STYLE IT:

- Open kitchen concepts in modern restaurants or coffee shops
- Modern and minimalist-styled bathroom shower surrounds
- School locker rooms and bathrooms



LONDON METRO

Ceramic Wall Tile



C E R A M I C S

COLOR AVAILABILITY - WALL



Greenwich Mist
LOMEMIS312



Hampstead Dew
LOMEDEW312



Mayfair White
LOMEWHI312



Soho Grey
LOMEGRY312

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	3" x 12"	2.95" x 11.81"	3/8"	50	12.50
	3" x 12" Bullnose (12" side)	2.95" x 11.81"	3/8"	50	12.50

TECHNICAL SPECIFICATIONS		WALL
	Material Type	! " # \$ % & ' () * + , - . : ;
	Finish	- \$. & # (P \$. " ' () * + , - . : ;
	Edge	V # " 1 1 " J
	Color Variation	W 4
	Printing	X E 0
	Installation	) \$ * + , - . : ;
	Usage	S " 1 & " H . \$ * (E (! 8 % % " # \$ * (+ , - . : ;
	Grout Joint Recomm.	4 E < C
	Thickness	D E 4 B C
	Shower Pan	X 8
	Pool Lining*	X 8
	Fireplace Surround*	T " 1
	Frost Resistant	X 8

\\V#B: " # (&1.\$*\$.&H(("%.; 8J1(%G1.[] "(@B*85 " J(: " #(:#B^' .6(V" \$1"("# @# H" "(+! X0(@#(%B#(&+B#%\$.&H6

TEST RESULTS		WALL
	Water Absorption (C373)	Y(=Z
	Breaking Strength (C648)	X E 0
	Surface Abrasion (MOHS)	[
	Chem. Resistance (C650)	S" 1&.\$H.
	D.C.O.F. (A137.1)	X E 0
	Scratch Hardness (P.E.I)	X E 0

realstone **SYSTEMS™**
Inspiring. Timeless. Enduring.

A still life arrangement on a rustic wooden table. In the center is a tall, clear glass carafe with a cork stopper, partially filled with water. To its left is a large terracotta pot with a rubber plant, and a smaller terracotta pot with a small green succulent. To the right of the carafe is another terracotta pot with a rubber plant. In the foreground, there are two pieces of driftwood tied together with a piece of rope. A small glass of water sits in front of the carafe. On the far left, a portion of a larger terracotta pot with dried, light-colored plants is visible. On the far right, a white ceramic plate is partially seen. The background is a wall of large, square, light-colored tiles with a subtle texture. The overall aesthetic is warm, natural, and minimalist.

MARRAKESH

MARRAKESH offers the beauty and historic details of true Zellige tiles while still making it a perfect fit for design today. This collection is offered in two classic wall formats, and paired perfectly with decorative floor tiles.

THE DETAILS:

- 4" x 4" or 2.5" x 8" wall tiles in soft and neutral, yet rich tones with a semi-gloss finish
- 8" x 8" floor tiles in unique patterns with slight glossy ink effect, paired effortlessly with any of the wall tiles

STYLE IT:

- Kitchen backsplashes with natural wood cabinetry and brass fixtures
- Floor-to-ceiling shower walls for a spa-inspired feel
- Bold and playful laundry or bathroom floors



Photo features Meknes Marine 2.5" x 8"



Photo features Bahia 8" x 8"



Photo features Medina Green 4" x 4"

MARRAKESH

Ceramic Wall and Porcelain Floor Tile

realstone **SYSTEMS™**
Inspiring. Timeless. Enduring.

C E R A M I C S

COLOR AVAILABILITY - WALL




Sahara White
MARSAH44




Tantan Beige
MARTAN44




Sidi Salt
MARSID44



Medina Green
MARMED44



Meknes Marine
MARMKN44



Berber Black
MARBER44



Sahara White
MARSAH258




Tantan Beige
MARTAN258




Sidi Salt
MARSID258



Medina Green
MARMED258



Meknes Marine
MARMKN258



Berber Black
MARBER258

COLOR AVAILABILITY - FLOOR



Macaal
MARMAC88



Bahia
MARBAH88



Melah
MARMEL88



Rubeli
MARRUB88

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	4" x 4"	3.94" x 3.94"	3/8	44	4.73
	2.5" x 8"	2.44" x 7.95"	3/8	38	5.17
	1" x 8" Trim (Wall)	0.98" x 7.95"	3/8	88	N/A
	8" x 8"	7.87" x 7.87"	3/8	13	5.60

MARRAKESH

Ceramic Wall and Porcelain Floor Tile

realstone **SYSTEMS**[™]
Inspiring. Timeless. Enduring.

C E R A M I C S

TECHNICAL SPECIFICATIONS	WALL	FLOOR
 Material Type	Ceramic (Double-Fired)	Glazed Porcelain
 Finish	Semi-Gloss	Matte
 Edge	Pressed	Pressed
 Color Variation	V3	V3
 Printing	N/A	Inkjet
 Installation	Wall	Wall / Floor
 Usage	Residential / Commercial	Residential / Commercial
 Grout Joint Recomm.	1/16" or No Grout Joint	1/8"
 Thickness	3/8"	3/8"
 Shower Pan	No	Yes
 Pool Lining*	No	Yes
 Fireplace Surround*	Yes	Yes
 Frost Resistant	No	Yes

*Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS	WALL	FLOOR
 Water Absorption (C373)	> 10%	≤ 0.5 %
 Breaking Strength (C648)	N/A	≥ 250 LBS
 Surface Abrasion (MOHS)	N/A	5.0
 Chem. Resistance (C650)	N/A	Resistant
 D.C.O.F. (A137.1)	N/A	> 0.42
 Scratch Hardness (P.E.I)	N/A	4

Special Considerations for Wall:

- Variations in caliber, flatness, straightness, texture, design and shade are present in the artisanal manufacture process of this product.
- Special and vibrant glazes can produce an intentional crackle upon production, in transport or after installation.
- Dry-stacking is recommended for wall tile, although not required. When installing in a wet area, a waterproof member is required prior to installation, and grouting and sealing will be necessary.



Photo features Melah 8" x 8"

realstone **SYSTEMS™**
Inspiring. Timeless. Enduring.



MASSA MARBLE

MASSA MARBLE provides a marble-look tile, reinvented. The two traditionally-sized wall tiles give an organic, natural feel, while the floor formats add rich details that draw the eye closer.

THE DETAILS:

- 3" x 6" and 6" x 6" natural edge wall tiles
- 9" x 10" hexagon porcelain floor tiles with glossy ink effect

STYLE IT:

- Transitional or farmhouse kitchen backsplashes
- Large, open living spaces and bathrooms
- Mud room floors and entryways




Photo features Carrara 3" x 6"




Photo features Carrara 6" x 6"

MASSA MARBLE

Ceramic Wall and Porcelain Floor Tile

realstone **SYSTEMS**[™]
Inspiring. Timeless. Enduring.

C E R A M I C S

COLOR AVAILABILITY - WALL



Carrara 3" x 6"
MASCARWALL36



Calacatta Oro 3" x 6"
MASOROWALL36



Carrara 6" x 6"
MASCARWALL66



Calacatta Oro 6" x 6"
MASOROWALL66

COLOR AVAILABILITY - FLOOR



Carrara 9" x 10" Hexagon
MASCARHEX



Calacatta Oro 9" x 10" Hexagon
MASOROHEX

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	3" x 6"	2.88" x 5.88"	3/8"	88	10.30
	6" x 6"	5.88" x 5.88"	3/8"	44	10.56
	3" x 6" Bullnose (6" side)	2.88" x 5.88"	3/8"	44	N/A
	9" x 10"	9.13" x 10.50"	5/16"	16	8.06

MASSA MARBLE

Ceramic Wall and Porcelain Floor Tile

realstone **SYSTEMS**[™]
Inspiring. Timeless. Enduring.

C E R A M I C S

TECHNICAL SPECIFICATIONS	WALL	HEXAGON
 Material Type	Ceramic	Porcelain
 Finish	Matte	Matte
 Edge	Pressed	Pressed
 Color Variation	V3	V3
 Printing	Digital	Digital
 Installation	Wall	Wall / Floor
 Usage	Residential / Commercial	Residential / Commercial
 Grout Joint Recomm.	1/8"	3/16"
 Thickness	3/8"	5/16"
 Shower Pan	No	Yes
 Pool Lining*	No	Yes
 Fireplace Surround*	Yes	Yes
 Frost Resistant	No	Yes

*Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS	WALL	HEXAGON
 Water Absorption (C373)	> 7%	≤ 0.5 %
 Breaking Strength (C648)	N/A	≥ 250 LBS
 Surface Abrasion (MOHS)	N/A	7.0
 Chem. Resistance (C650)	Resistant	Resistant
 D.C.O.F. (A137.1)	N/A	≥ 0.42
 Scratch Hardness (P.E.I)	N/A	4

Variations in shade, texture and edge profile are inherent in all glass, ceramic, porcelain and stone tile.
Always inspect product prior to installation.



Photo features Calacatta Oro 3" x 6"

realstone **SYSTEMS™**
Inspiring. Timeless. Enduring.



MELODY

MELODY An artistically designed ceramic wall tile collection that adds beauty and depth to walls of any style. Available in four spa-inspired colors, each of which offered in field tiles, two coordinating decors and trim finishing edge.

THE DETAILS:

- 5" x 5" watercolor-edged glazed field tiles and coordinating decors in two design options
- 0.5" x 10" finishing trim

STYLE IT:

- Kitchen backsplashes with counter-to-wall exposure
- Full shower surrounds and vanity accent features
- Laundry room backsplashes












MELODY

Ceramic Wall Tile

realstone **SYSTEMS**[™]
Inspiring. Timeless. Enduring.

C E R A M I C S

COLOR AVAILABILITY

					
Easton White Solid MELEAS55	Easton White Audrey Decor MELEASAUD55	Easton White Chloe Decor MELEASCHL55	Eme Ash Solid MELEME55	Eme Ash Audrey Decor MELEMEAUD55	Eme Ash Chloe Decor MELEMECHL55
					
Lyric Blue Solid MELLYR55	Lyric Blue Audrey Decor MELLYRAUD55	Lyric Blue Chloe Decor MELLYRCHL55	Mint Grey Solid MELMIN55	Mint Grey Audrey Decor MELMINAUD55	Mint Grey Chloe Decor MELMINCHL55

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	5" x 5"	5.12" x 5.12"	3/8"	30	5.40
	0.5" x 10" Trim	N/A	N/A	10	N/A

MELODY

Ceramic Wall Tile

realstone **SYSTEMS™**
Inspiring. Timeless. Enduring.

C E R A M I C S

TECHNICAL SPECIFICATIONS

WALL

	Material Type	Ceramic
	Finish	Glossy
	Edge	Pressed
	Color Variation	V3
	Printing	N / A
	Installation	Wall
	Usage	Residential / Commercial
	Grout Joint Recomm.	1/8"
	Thickness	3/8"
	Shower Pan	No
	Pool Lining*	No
	Fireplace Surround*	Yes
	Frost Resistant	No

*Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS

WALL

	Water Absorption (C373)	> 7%
	Breaking Strength (C648)	N/A
	Surface Abrasion (MOHS)	N/A
	Chem. Resistance (C650)	Resistant
	D.C.O.F. (A137.1)	N/A
	Scratch Hardness (P.E.I)	N/A

Variations in shade, texture and edge profile are inherent in all glass, ceramic, porcelain and stone tile.
Always inspect product prior to installation.



Photo features Mint Grey Chloe Decor

realstone **SYSTEMS™**
Inspiring. Timeless. Enduring.



MULTIFORMA



MULTIFORMA plays with color and size to give commercial spaces the sophisticated upgrade they need. Offered in six not-so-average colors and a plaster-like texture, this collection can be used alone or with our coordinating wall tile collection, LINEA.

THE DETAILS:

- 36" x 36" large format porcelain

STYLE IT:

- Hotel entryways
- Open concept office spaces
- Airport common areas






MULTIFORMA

Porcelain Floor Tile



C E R A M I C S

COLOR AVAILABILITY

					
Ghiaccio CEMUL090001	Prussia CEMUL090005	Sabbia CEMUL090003	Terracotta CEMUL090006	Cenere CEMUL090002	Ardesia CEMUL090004

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	36" x 36"	35.43" x 35.43"	3/8"	2	17.44

MULTIFORMA

Porcelain Tile

realstone **SYSTEMS**[™]
Inspiring. Timeless. Enduring.

C E R A M I C S

TECHNICAL SPECIFICATIONS

FLOOR

	Material Type	Porcelain
	Finish	Matte
	Edge	Rectified
	Color Variation	V2
	Printing	Digital
	Installation	Wall / Floor
	Usage	Residential / Commercial
	Grout Joint Recomm.	1/8"
	Thickness	3/8"
	Shower Pan	No
	Pool Lining*	N/A
	Fireplace Surround*	Yes
	Frost Resistant	Yes

*Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS

FLOOR

	Water Absorption (C373)	< 0.5 %
	Breaking Strength (C648)	≥ 250 LBS
	Surface Abrasion (MOHS)	7.0
	Chem. Resistance (C650)	Resistant
	D.C.O.F. (A137.1)	≥ 0.42
	Scratch Hardness (P.E.I)	4

Variations in shade, texture and edge profile are inherent in all glass, ceramic, porcelain and stone tile. Always inspect product prior to installation.



Photo features Terracotta 36" x 36"

realstone **SYSTEMS™**
Inspiring. Timeless. Enduring.



NATURAL ELEMENTS



NATURAL ELEMENTS When an accent wall is calling, Natural Elements shows up. Whether it's a clean, geometric vibe, or an elegant, waterjet style, there is something for everyone with this collection. Offered in eight colors and patterns, the mixture of stone and glass compliments without being too loud.

THE DETAILS:

- Waterjet glass and stone mosaics in unique shapes and patterns
- Neutral colors combine for bold patterns

STYLE IT:

- Powder room or kitchen backsplash for a unique focal point
- Bathroom vanity for a pop of color
- Bar backsplash for a trendy vibe

NATURAL ELEMENTS

Waterjet Glass and Stone Mosaics

realstone **SYSTEMS™**
Inspiring. Timeless. Enduring.

C E R A M I C S


COLOR AVAILABILITY




Lace Leaf
NELEAF7904



Dove Leaf
NELEAF7905



Snowfall Teardrop
NETEAR7804



Mist Teardrop
NETEAR7805



Mink Hexagon Leaves
NEHEXLEAF02



Blue Heron Hex Leaves
NEHEXLEAF8004



Skyline
NECHEV305



Cashmere Cube
NECUBE1

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	N/A	12.00" x 11.75"	5/16"	10	9.80
	N/A	11.13" x 11.88"	5/16"	10	9.20
	N/A	11.13" x 11.88"	5/16"	11	10.78
	N/A	12.00" x 10.88"	5/16"	10	9.00
	N/A	11.13" x 9.75"	5/16"	11	8.14

NATURAL ELEMENTS

Waterjet Glass and Stone Mosaics



C E R A M I C S

TECHNICAL SPECIFICATIONS		MOSAICS
	Material Type	Glass and Stone
	Finish	Glossy / Matte
	Edge	Cut
	Color Variation	V3
	Printing	N / A
	Installation	Wall
	Usage	Residential / Commercial
	Grout Joint Recomm.	1/16"
	Thickness	5/16"
	Shower Pan	No
	Pool Lining*	No
	Fireplace Surround*	Yes
	Frost Resistant	No

* Proper installation methods must be followed per project. Please reference TCNA for more information.

**Raindrop Mosaic suitable for residential floor installations only.

TEST RESULTS		MOSAICS
	Water Absorption (C373)	N / A
	Breaking Strength (C648)	N / A
	Surface Abrasion (MOHS)	N / A
	Chem. Resistance (C650)	Resistant
	D.C.O.F. (A137.1)	N/A
	Scratch Hardness (P.E.I)	N/A

Variations in shade, texture and edge profile are inherent in all glass, ceramic, porcelain and stone tile.
Always inspect product prior to installation.

realstone **SYSTEMS™**
Inspiring. Timeless. Enduring.

NORTHERN LIGHTS

NORTHERN LIGHTS plays tribute to classic mosaic size formats and takes them to the next level. Offered in two patterns and five colorways, this pressed glass series provides the durability of porcelain tile combined with rich color tones only glass tiles can achieve.

THE DETAILS:

- Raindrop mosaic with glossy and matte finishes
- Hex Wheel in color blocked hexagon-border combos

STYLE IT:

- Pool linings or water feature accent walls
- Kids bathrooms that will stand the test of time and style



Photo features Cosmos Raindrop

NORTHERN LIGHTS

Pressed Glass Mosaic

realstone **SYSTEMS™**
Inspiring. Timeless. Enduring.

C E R A M I C S


COLOR AVAILABILITY - RAINDROP*



Asteroid
NLASTRAIN




Cosmos
NLCOSRAIN



Galaxy
NLGLXRAIN



Moon
NLMONRAIN




Neptune
NLNEPRRAIN

COLOR AVAILABILITY - HEX WHEEL**



Asteroid
NLASTWHEEL




Cosmos
NLCOSWHEEL



Galaxy
NLGLXWHEEL



Moon
NLMONWHEEL



Neptune
NLNEPWHEEL

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	N/A	11.61" x 11.10"	1/4"	11	9.85
	N/A	10.24" x 8.90"	1/4"	11	6.95

*Raindrop Mosaic offered in 70% matte, 30% glossy combination

**Hex Wheel Mosaic offered in matte only

NORTHERN LIGHTS

Pressed Glass Mosaic

realstone **SYSTEMS™**
Inspiring. Timeless. Enduring.

C E R A M I C S

TECHNICAL SPECIFICATIONS	RAINDROP	HEX WHEEL
 Material Type	Pressed Glass	Pressed Glass
 Finish	Glossy / Matte	Matte
 Edge	Pressed	Pressed
 Color Variation	V1	V1
 Printing	Digital	Digital
 Installation	Wall / Floor	Wall / Floor
 Usage	Residential / Commercial**	Residential / Commercial
 Grout Joint Recomm.	1/16"	1/16"
 Thickness	1/4"	1/4"
 Shower Pan	Yes	Yes
 Pool Lining*	Yes	Yes
 Fireplace Surround*	Yes	Yes
 Frost Resistant	Yes	Yes

* Proper installation methods must be followed per project. Please reference TCNA for more information.

**Raindrop Mosaic suitable for residential floor installations only.

TEST RESULTS	RAINDROP	HEX WHEEL
 Water Absorption (C373)	< 0.5%	< 0.5%
 Breaking Strength (C648)	N/A	N/A
 Surface Abrasion (MOHS)	5	5
 Chem. Resistance (C650)	Resistant	Resistant
 D.C.O.F. (A137.1)	N/A	≥ 0.42
 Scratch Hardness (P.E.I)	N/A	N/A

Variations in shade, texture and edge profile are inherent in all glass, ceramic, porcelain and stone tile.
Always inspect product prior to installation.

realstone **SYSTEMS™**
Inspiring. Timeless. Enduring.



ORGANIC STRANDS

ORGANIC STRANDS gives an effortless upgrade to your walls. This series takes the classic pressed glass mosaic and boosts it by adding texture and dimension. The lantern shape allows for a modern design, while the overall style gives a fresh and uniform look.

THE DETAILS:

- 2" pressed glass lantern in a textured combination
- Offered in four versatile colors

STYLE IT:

- Pool linings and water features
- Kitchen backsplashes for an updated feel
- Accent walls



Photo features Light Grey Lantern

ORGANIC STRANDS

Pressed Glass Mosaic

C E R A M I C S

COLOR AVAILABILITY



Ivory
ORG01221P



Beige
ORG02221P



Light Grey
ORG03221P



Grey
ORG04221P

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	N/A	9.80" x 12.10"	1/4"	14	11.56

TECHNICAL SPECIFICATIONS		2" LANTERN
	Material Type	! "\$\$\$%&'() \$\$
	Finish	' (+\$\$1&
	Edge	! "\$\$\$%&
	Color Variation	QA
	Printing	P ,I, Q (
	Installation	Q) ((&
	Usage	K#\$,%#RQ) (&F&9 9 #"-.) (
	Grout Joint Recomm.	@F=G
	Thickness	@5G
	Shower Pan	T#\$
	Pool Lining*	T#\$
	Fireplace Surround*	T#\$
	Frost Resistant	T#\$

Y&!+; # "8R\$Q (() Q+R&9#Q<+%\$&Z\$0&#&B(+6 #%&#"&,"+[#- 07 &(##) \$#&#B#"#R- #&\$ E 2&B"&9+"#&R B+"9) Q+R7&

TEST RESULTS		2" LANTERN
	Water Absorption (C373)	U&4W
	Breaking Strength (C648)	@4&X\$
	Surface Abrasion (MOHS)	5
	Chem. Resistance (C650)	K#\$,\$QR 0
	D.C.O.F. (A137.1)	≥ 0.42%
	Scratch Hardness (P.E.I)	D

realstone **SYSTEMS™**
Inspiring. Timeless. Enduring.

RAINSTONE

RAINSTONE timeless and modern with a variety of design possibilities. Whether it's a small space needing a streamlined look or a large lofty space needing a touch of warmth. Rainstone delivers strength and durability to stand the test of time with a unique weathered look that will inspire creativity.

THE DETAILS:

- 2" x 2" porcelain mosaic

STYLE IT:

- Modern kitchen backsplashes
- Shower pans
- Sun room floors and entryways



RAINSTONE

Porcelain Mosaics

realstone **SYSTEMS**[™]
Inspiring. Timeless. Enduring.

C E R A M I C S

COLOR AVAILABILITY



Beige White
CERST005001



Natural
CERST005002



Light Grey
CERST005003



Dark Grey
CERST005004

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	N/A	11.63" x 11.63"	3/8"	6	5.81

TECHNICAL SPECIFICATIONS

MOSAIC

	Material Type	Porcelain
	Finish	Matte
	Edge	Rectified
	Color Variation	V3
	Printing	Digital
	Installation	Wall / Floor
	Usage	Residential / Commercial
	Grout Joint Recomm.	1/8"
	Thickness	3/8"
	Shower Pan	Yes
	Pool Lining*	Yes
	Fireplace Surround*	Yes
	Frost Resistant	Yes

*Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS

MOSAIC

	Water Absorption (C373)	≤ 0.5 %
	Breaking Strength (C648)	≥ 400 LBS
	Surface Abrasion (MOHS)	7.0
	Chem. Resistance (C650)	Resistant
	D.C.O.F. (A137.1)	≥ 0.42
	Scratch Hardness (P.E.I)	4

Variations in shade, texture and edge profile are inherent in all glass, ceramic, porcelain and stone tile. Always inspect product prior to installation.

realstone **SYSTEMS™**
Inspiring. Timeless. Enduring.

A rustic interior scene featuring a large potted plant with green leaves, a wooden stool, a wicker basket, and a tiled floor. The floor is covered in a patterned tile with geometric designs in shades of brown, green, and black. The walls are white, and a large window in the background allows natural light to filter in, creating a warm and inviting atmosphere. A wooden ladder leans against the wall, and a wicker basket with a lid is on the floor. The overall style is modern yet inspired by traditional craftsmanship.

RETROSPECTIVES

RETROSPECTIVE

Artistic and alluring on top; bold and playful on the bottom. RETROSPECTIVES draws you in with its eccentric decors, while the wall tiles complement or stand-alone. These classic ceramic wall tiles and decorative floor tiles create a statement piece in a room big or small.

THE DETAILS:

- 3" x 6" glazed wall tiles in 3 unique colors that compliment any aesthetic
- 8" x 8" floor tiles in three fun patterns

STYLE IT:

- Kitchen backsplashes with exposed shelving
- Combine wall and floor in a laundry or smaller bathroom
- Activity room or closet for a pop of color

Photo features Royal Garden 3" x 6"



Photo features Covent Gardens 8" x 8"




Photo features Enchanted Mist 3" x 6"

RETROSPECTIVES

Wall and Porcelain Floor Tile

COLOR AVAILABILITY - WALL



Enchanted Mist
RSENCCHANTED36L



Notting Hill
RSNOTHILL36L



Royal Garden
RSROYALGARD36L

COLOR AVAILABILITY - FLOOR



Covent Gardens
RSCOVENTGARD88



Notting Hill
RSNOTHILL88



Royal Blues
RSROYALBLUE88

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	3" x 6"*	2.95" x 5.95"	5/16	44	5.37
	1" x 6" Jolly	0.95" x 5.91"	N/A	132	N/A
	8" x 8"	7.88" x 7.88"	3/8"	13	5.60

RETROSPECTIVES

! "##\$%&\$'()*+##,%\$#()\$. ,#

C E R A M I C S

TECHNICAL SPECIFICATIONS	WALL	FLOOR
 Material Type	X+)" ; ,*\$	' ()*+##,%
 Finish	S # 442	W" 11+
 Edge	')+44+&	')+44+&
 Color Variation	ZB	ZB
 Printing	U,M,1" #	U,M,1" #
 Installation	!" #	!"##\$!\$#()\$
 Usage	O+4,&+%!"#\$!\$X; ; +)*,"#\$	O+4,&+%!"#\$!\$X; ; +)*,"#\$
 Grout Joint Recomm.	7I? F	7I? ^
 Thickness	BI? F	BI? ^
 Shower Pan	L (	T+4
 Pool Lining*	L (	L (
 Fireplace Surround*	T+4	T+4
 Frost Resistant	L (	T+4

G)(=+)\$%41" ## 1(%\$;+1>(&4\$; \ 41\$ b \$(C## 8 +&\$=+)\$=(C* 19\$##" 4+)\$-G)+%*+\$XL 3\$C)\$; ()+\$%C); " 1(%9

TEST RESULTS	WALL	FLOOR
 Water Absorption (C373)	_\$@	a\$69H\$`
 Breaking Strength (C648)	L I3	≥ 250 LBS
 Surface Abrasion (MOHS)	L I3	@%
 Chem. Resistance (C650)	O+4,41" %1\$	O+4,41" %1\$
 D.C.O.F. (A137.1)	L I3	≥ 0.42
 Scratch Hardness (P.E.I)	L I3	J

Variations in shade, texture and edge profile are inherent in all glass, ceramic, porcelain and stone tile.
3#8"24\$,%4=+*1\$&*1\$=),()\$1(\$,%41"##("9



Photo features Royal Blues 8" x 8"

realstone **SYSTEMS™**
Inspiring. Timeless. Enduring.

ROYAL

A modern interior space, likely a cafe or restaurant, featuring large, light gray floor tiles. The room has large windows on the left side, offering a view of a cityscape. The seating area includes round tables with black chairs and a long bar with black stools. The ceiling is exposed, showing pipes and modern pendant lights. A wooden counter and shelving unit are visible on the right side.

ROYAL ROYAL is a limestone-meets-concrete visual that adds texture and depth to most residential and commercial spaces. The gently worn colors and neutral shades of gray create a warm and inviting feel, while the large format size simplifies design and limits grout joints.

THE DETAILS:

- 36" x 36" large format porcelain floor tiles

STYLE IT:

- Industrial or modern lofts
- Upscale restaurants and kitchens
- Business centers and modern work spaces

ROYAL

Porcelain Floor Tile

COLOR AVAILABILITY



Light
CEROY090002



Mild
CEROY090005

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	36" x 36"	35.43" x 35.43"	3/8"	2	17.44

TECHNICAL SPECIFICATIONS		FLOOR
 Material Type	! " # \$ % ()	
 Finish	O ' // %	
 Edge	Rectified	
 Color Variation	Q @	
 Printing	R (l (/ ' &	
 Installation	S ' & * G & # #	
 Usage	L % 2 (P % / (' & * G * 8 % # \$ (' & *	
 Grout Joint Recomm.	? G < D	
 Thickness	@ G D	
 Shower Pan	T "	
 Pool Lining*	T G 1	
 Fireplace Surround*	N % 2	
 Frost Resistant	N % 2	

W # : % # * (2 ' & / (") * 8 % ; " P 2 * 8 X 2 / * Y % * A & 5 % P * : % # * : # Z \$ / 6 * B % 2 % * % A % # % \$ % * , J T 1 * A # * 8 " # % * (A # 8 ' / (") 6

TEST RESULTS		FLOOR
 Water Absorption (C373)	U * 4 E * V	
 Breaking Strength (C648)	≥ 250 LBS	
 Surface Abrasion (MOHS)	= 4	
 Chem. Resistance (C650)	L % 2 (2 ') /	
 D.C.O.F. (A137.1)	≥ 0.42	
 Scratch Hardness (P.E.I)	F	

Variations in shade, texture and edge profile are inherent in all glass, ceramic, porcelain and stone tile.
1 & 5 ' 0 2 * () 2 : % \$ / * : # P X \$ / * : # (" # * / " * () 2 / ' & & (") 6



Photo features Light 36" x 36"

realstone **SYSTEMS™**
Inspiring. Timeless. Enduring.



SEASONS

SEASONS Classic sizes meet mid-century modern style. SEASONS adds a pop of color to walls while remaining neutral. Mix and match the wall tile for a completely custom feel that unique to your own style.

THE DETAILS:

- 4" x 4" glazed wall tiles in 3 unique colors with matching decors

STYLE IT:

- Kitchen backsplashes with exposed shelving
- Laundry or smaller bathroom
- Activity room or closet for a pop of color



Photo features Spring Solid, Spring Equinox and Spring Solstice


SEASONS

Ceramic Wall

COLOR AVAILABILITY - WALL



Spring
SEASPRW441P




Spring Equinox
SEASPREQNW441P



Spring Solstice
SEASPRSOLW441P



Summer
SEASUMW441P



Summer Equinox
SEASUMEQNW441P



Summer Solstice
SEASUMSOLW441P



Autumn
SEAATMW441P




Autumn Equinox
SEAATMEQNW441P



Autumn Solstice
SEAATMSOLW441P



Winter
SEAWTRW441P



Winter Equinox
SEAWTREQNW441P



Winter Solstice
SEAWTRSOLW441P

SIZE AVAILABILITY

	NOMINAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	4" x 4"	3/8"	108	11.66
	0.5" x 12" Jolly	N/A	50	N/A

SEASONS

Ceramic Wall

TECHNICAL SPECIFICATIONS

WALL

	Material Type	Ceramic
	Finish	Matte
	Edge	Pressed
	Color Variation	V2
	Printing	Digital
	Installation	Wall
	Usage	Residential / Commercial
	Grout Joint Recomm.	1/8"
	Thickness	3/8"
	Shower Pan	No
	Pool Lining*	No
	Fireplace Surround*	Yes
	Frost Resistant	No

*Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS

WALL

	Water Absorption (C373)	> 7%
	Breaking Strength (C648)	N/A
	Surface Abrasion (MOHS)	N/A
	Chem. Resistance (C650)	Resistant
	D.C.O.F. (A137.1)	N/A
	Scratch Hardness (P.E.I)	N/A

Variations in shade, texture and edge profile are inherent in all glass, ceramic, porcelain and stone tile.
Always inspect product prior to installation.



Photo features Winter, Winter Equinox and Winter Solstice 4" x 4"

realstone **SYSTEMS™**
Inspiring. Timeless. Enduring.

SIMPLE STONE

SIMPLE STONE brings the best-of marble visuals and blends with classic and fun shapes. The combination matte and glossy surface gives dimension without being too flashy and the pressed glass body makes these safe enough to use on shower pans or bathroom floors.

THE DETAILS:

- Available in Pebbles, Triangle, Chevron and Pennyround mesh-mounted mosaics
- Offered in combination glossy and matte finish for all except Pebble mosaic.

STYLE IT:

- Give unique detail to pool linings or outdoor kitchen backsplashes
- Round out bathroom designs by using on shower floors and in accent niches
- Add an elegant touch to fireplace surrounds

Photo features Oro Pennyround





Photo features Bianco Chevron

SIMPLE STONE

! "#\$%&'()*+,-

C E R A M I C S

COLORS



O,)E-+&#EE1"+ME%
/P*OP2GKQ!GTRU



O,)E-+&K<#L+E
/P*OP2GKQKVSQR



O,)E-+&D,)EF(#
/P*OP2GKQDRP




O,)E-+&#NN(#\$
/P*OP2GKQ!SO



G#"&#EE1"+ME%&
/P*GSRQ!GTRU



G#"&K<#L+E
/P*GSRQKVSQR



G#"&D,)EF(#&
/P*GSRQ DRP



G#"&#NN(#\$
/P*GSRQ!SO



Q"+&#EE1"+ME%&
/P*QRQ!GTRU



Q"+&K<#L+E
/P*QRQKVSQR



Q"+&D,)EF(#
/P*QRQ DRP



Q"+&#NN(#\$
/P*QRQ!SO

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
 &&#EF(#	&&&&&12&&&&G	?731&B&@	&&&&&11&&&&&@	&&&&	&&&&&7&&&&?
 &&#K"+E	&&&&&12&&&&G	&@731&B&31	&&&&&11&&&&&@	&&&&	&&&&154&&@
 &&#EE1"+ME%	&&&&&12&&&&G&&&&&@	&@731&B&31	&&&&&11&&&&&@	&&&&	&&&&17&&&&@
 !#NN(#	&&&&&12&&&&G	&@731&B&31	&&&&&11&&&&&@	&&&&	&&&&17&&&&@

TECHNICAL SPECIFICATIONS		MOSAIC
	Material Type	! "#\$%&'() \$\$
	Finish	' (+\$\$1&H&10#
	Edge	! "#\$%&
	Color Variation	W5
	Printing	U,F,Q (
	Installation	X) ((&H&Y"
	Usage	R#\$,,%#EQ) (&H&R 9 #"-.) (&
	Grout Joint Recomm.	@KCI
	Thickness	@HII
	Shower Pan**	T#\$
	Pool Lining*	T#\$
	Fireplace Surround*	T#\$
	Frost Resistant	T#\$

]! "+; # "8E\$Q (() Q+E&9#0<+%\$&9M\$0&#B&A(+6 # %&# " &,"+ /#- 07&(##) \$ #&# /# " #E- #&B G2&A" &9+ " #8E/A " 9) Q+E7
]]! #NN(\$&E(1

TEST RESULTS		MOSAIC
	Water Absorption (C373)	Z&4 \
	Breaking Strength (C648)	GH2
	Surface Abrasion (MOHS)	J
	Chem. Resistance (C650)	R#\$,,\$Q E0
	D.C.O.F. (A137.1)	GH2
	Scratch Hardness (P.E.I)	GH2

Variations in shade, texture and edge profile are inherent in all glass, ceramic, porcelain and stone tile.
2(6)1\$&,E\$;#-0&;"-%M-0&;",+"&0+&,E\$0*(E7



Photo features Nero Triangle



STONEWAY



STONEWAY is a unique and versatile porcelain tile, with a variety of design possibilities. Each of the three colors is offered in three graphics to give a wall or floor custom gradient look. Whether it's a more traditional or bold ombre that your space calls for, this collection is certain to turn heads.

THE DETAILS:

- 12" x 24" in three gradient color schemes
- 2" x 2" porcelain mosaic

STYLE IT:

- Transitional or modern lofty spaces
- Large, open living spaces and bathrooms
- Sun room floors and entryways
- Kitchen backsplashes

COLOR AVAILABILITY - FLOOR




Beige
PO3060STO320R



Grey
PO3060STO350R



Anthracite
PO3060STO390R



Line Beige
PO3060STO320L



Line Grey
PO3060STO350L



Line Anthracite
PO3060STO390L



White Beige
PO3060STO312R



White Grey
PO3060STO315R



White Anthracite
PO3060STO319R

COLOR AVAILABILITY - MOSAIC



Beige
PO505STO320M



Grey
PO505STO350M



Anthracite
PO505STO390M

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	N/A	11.63" x 11.63"	3/8"	6	5.81
	12" x 24"	11.62" x 23.62"	3/8"	6	11.62

TECHNICAL SPECIFICATIONS	MOSAIC	FLOOR
 Material Type	Porcelain	Porcelain
 Finish	Matte	Matte
 Edge	Rectified	Rectified
 Color Variation	V2	V2
 Printing	Digital	Digital
 Installation	Wall / Floor	Wall / Floor
 Usage	Residential / Commercial	Residential / Commercial
 Grout Joint Recomm.	1/8"	1/8"
 Thickness	3/8"	3/8"
 Shower Pan	Yes	Yes
 Pool Lining*	Yes	Yes
 Fireplace Surround*	Yes	Yes
 Frost Resistant	Yes	Yes

*Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS	MOSAIC	FLOOR
 Water Absorption (C373)	< 0.5 %	< 0.5 %
 Breaking Strength (C648)	≥ 250 LBS	≥ 250 LBS
 Surface Abrasion (MOHS)	7.0	7.0
 Chem. Resistance (C650)	Resistant	Resistant
 D.C.O.F. (A137.1)	≥ 0.42	≥ 0.42
 Scratch Hardness (P.E.I)	4	4

Variations in shade, texture and edge profile are inherent in all glass, ceramic, porcelain and stone tile. Always inspect product prior to installation.



Photo features White Anthracite, Line Anthracite and Anthracite



URBAN
TEXTURES
CONTEMPO

URBAN TEXTURES CONTEMPO


Glass blends with this classic subway format to create a modernized version of a style still adored today. Choose from nine colors of various shades and two sizes and see how spaces appear larger with the reflectivity of glass tile.

THE DETAILS:

- Offered in a thinner profile glass, in nine neutral and versatile colors
- Available in 3x6 loose tile and 2x4 mesh-mounted

STYLE IT:

- Kitchen backsplashes and bar accent walls
- Apartment and hospitality common areas
- Restaurant bathroom walls




URBAN TEXTURES CONTEMPO

Glass

C E R A M I C S

COLOR AVAILABILITY - 2x4



Bright White
UTC0124



Ivory
UTC0224



Beige
UTC0324



Ash
UTC0424



Gray
UTC0524



Graphite
UTC0624



Bottle
UTC0724



Sky Blue
UTC0824



Smoke
UTC0924

COLOR AVAILABILITY - 3x6



Bright White
UTC0136




Ivory
UTC0236



Beige
UTC0336



Ash
UTC0436




Gray
UTC0536



Graphite
UTC0636



Bottle
UTC0736



Sky Blue
UTC0836



Smoke
UTC0936

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	N/A	2" x 4"	4mm	10	10.00
	3" x 6"	3" x 6"	4mm	80	10.00

URBAN TEXTURES CONTEMPO



Glass

C E R A M I C S

TECHNICAL SPECIFICATIONS		2x4 / 3x6
	Material Type	Glass
	Finish	Glossy
	Edge	Pressed
	Color Variation	V1
	Printing	Digital
	Installation	Wall
	Usage	Residential / Commercial
	Grout Joint Recomm.	1/16"
	Thickness	4mm
	Shower Pan	No
	Pool Lining*	Yes
	Fireplace Surround*	Yes
	Frost Resistant	No

* Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS		2x4 / 3x6
	Water Absorption (C373)	< 0.5%
	Breaking Strength (C648)	N/A
	Surface Abrasion (MOHS)	4
	Chem. Resistance (C650)	Resistant
	D.C.O.F. (A137.1)	N/A
	Scratch Hardness (P.E.I)	N/A

realstone **SYSTEMS™**
Inspiring. Timeless. Enduring.

ZELLIGE CLASSIQUE

ZELLIGE CLASSIQUE Originating in Morocco, these unique, handmade tiles are known for their organic beauty, vibrant colors and rich history dating back centuries. Authentic Zellige tiles are made from high-quality clay, then hand shaped, cut, glazed and fired at extremely high temperatures resulting in this incredibly durable and aesthetically pleasing tile.

THE DETAILS:

- 4" x 4" and 2" x 6" natural clay wall tiles in six earth inspired tones
- Colorful mosaic assortment in a variety of classic and modern shapes

STYLE IT:

- Pair 4x4 and 2x6 together for a custom look
- Kitchen backsplashes
- Shower walls and bathroom vanities
- Accent walls for a stunning and unique look
- Fireplace surrounds for a beautiful and eye-catching touch
- Stair risers to add color or texture



Photo features Atlas White Starburst

ZELLIGE CLASSIQUE

Authentic Zellige Tile

realstone **SYSTEMS™**
Inspiring. Timeless. Enduring.

C E R A M I C S

COLOR AVAILABILITY - FIELD TILE



Al Hamra 4x4
ZELALHAM44L
Al Hamra 2x6
ZELALHAM26L




Sahara Rose 4x4
ZELSAHROS44L
Sahara Rose 2x6
ZELSAHROS26L



Mint Tea 4x4
ZELMINTEA44L
Mint Tea 2x6
ZELMINTEA26L



Atlas White 4x4
ZELATLWHI44L
Atlas White 2x6
ZELATLWHI26L



Gris Perle 4x4
ZELGRIPER44L
Gris Perle 2x6
ZELGRIPER26L



Blue City 4x4
ZELBLUCIT44L
Blue City 2x6
ZELBLUCIT26L

COLOR AVAILABILITY - MOSAICS



Al Hamra
Papillon
ZELPAP01MOS



Atlas White/Sahara Rose
Tapis
ZELTAP01MOS



Atlas White/Blanc/Gris
Perle Chouari
ZELCHO01MOS



Atlas White
Starburst
ZELSTA01MOS



Atlas White
Art
ZELART01MOS



Atlas White
Triangle
ZELTRI01MOS

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	2" x 6"	N/A	3/8"	100	8.07
	4" x 4"	N/A	3/8"	100	10.76
	N/A	10.50" x 10.00"	3/8"	16	11.67
	N/A	12.00" x 12.00"	3/8"	11	11.00
	N/A	13.25" x 14.25"	3/8"	10	13.11
	N/A	10.00" x 10.00"	3/8"	18	12.50
	N/A	11.25" x 11.25"	3/8"	11	9.67
	N/A	9.00" x 11.75"	3/8"	14	10.28

ZELLIGE CLASSIQUE

! " # \$ % & # () * % + , %) - ' %

TECHNICAL SPECIFICATIONS	4" x 4"	2" x 6"	MOSAICS
 Material Type	*%+, %)-%&B(9##8	*%+, %)-%&B(9##8	*%+, %)-%&B(9##8
 Finish	D-#110	D-#110	D-#110
 Edge	L 8&Y)T " #	L 8&Y)T " #	L 8&Y)T " #
 Color Variation	Z4	Z4	Z4
 Printing	P Q!	P Q!	P Q!
 Installation	N8 ++	N8 ++	N8 ++
 Usage	J%!'Y%+)Q Ɔ: : %& '8+)	J%!'Y%+)Q Ɔ: : %& '8+)	J%!'Y%+)Q Ɔ: : %& '8+)
 Grout Joint Recomm.	P Q!	P Q!	P Q!
 Thickness	4Q✕	@&V)TO)@/: : _	4Q✕
 Shower Pan	P9	P9	P9
 Pool Lining*	P9	P9	P9
 Fireplace Surround*	[%1	[%1	[%1
 Frost Resistant	P9	P9	P9

\FƆ<%&)&1#8+8#9&): %\$9Y1): " 1#)R%)A+05 %&)<%&-Ɔ) % #)F%81%)B-4Ɔ& (%)-TP !)A9E): 9Ɔ%)&4E 8#9&6

TEST RESULTS	4" x 4"	2" x 6"	MOSAICS
 Water Absorption (C373)	P Q!	P Q!	P Q!
 Breaking Strength (C648)	P Q!	P Q!	P Q!
 Surface Abrasion (MOHS)	P Q!	P Q!	P Q!
 Chem. Resistance (C650)	J%!'1#8&#	J%!'1#8&#	J%!'1#8&#
 D.C.O.F. (A137.1)	P Q!	P Q!	P Q!
 Scratch Hardness (P.E.I)	P Q!	P Q!	P Q!

/ <% '8+)T9&1'Y%&B#9&1)A&E)*%+, %)-'-%

- Variation in caliber, flatness, straightness, texture, design and shade are present and inherent to the manufacture process of real zellige products.
- Chips, pinholes and other imperfections are common in zellige tiles and are not defective. Material with these characteristics are not subject for exchange or return.
- It is highly recommended to mix pieces from multiple cartons prior to installation in order to achieve a natural shade variation throughout the installation.
- Zellige tiles look beautiful installed with or without grout, and with a variety of grout joint thicknesses. When installing in a wet area, grouting and sealing will be necessary.
- Industry standard recommends overage by 15% in order to account for shortage due to tile cuts, breakage and future repairs.